S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Model.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
Code	Code		EJZ	EJY	EJZ	EJY
	C68	Air conditioning, automatic climate control	S	S	S	S
	AYP	Airbags , frontal for driver; roof-rail and side-impact for driver and passenger	S	S	S	S
	URL	11.3" diagonal advanced color LCD display with Google Built-In compatibility including navigation capability, connected apps, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones	S	S	S	S
	U95	Audio system feature, 2-speaker system	S	S	S	S
	UBJ	USB ports , 2, one type-A and one type-C, located within the instrument panel	S	S	S	S
	UKI	Blind Zone Steering Assist	S	S	S	S
	T8Z	Buckle to Drive , prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off through the vehicle infotainment screen	S	S	S	S
	AYW	Bulkhead door, manual open/close	S	S	S	S
		Cargo tie downs, 6, fixed, rated at 1,000 lbs (453.59 kg) each 1 - Number of cargo tie downs changes to 5 when (ZHR) spare tire is ordered.	S ¹	S1		
		Cargo tie downs , 8, fixed, rated at 1,000 lbs (453.59 kg) each			S	S
	U80	Compass, digital	S	S	S	S
	KSG	Adaptive Cruise Control	S	S	S	S
		Cup holders, 2 on driver side, 1 on curbside	S	S	S	S
		Delivery Mode , a feature that automates repetitive tasks for the driver to speed package delivery. Features include turning on cabin lighting, unlocking doors, automating bulkhead door and curbside doors (if equipped with power package) and sounding the horn when vehicle is shifted out of park.	S	S	S	S
		Door locks, power	S	S	S	S
	URF	Driver Information Center, 11" diagonal display	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
	VS6	Fire extinguisher, 1.5 kg with mount	s	s	S	S
	VS1	First aid kit	s	s	S	S
		Floor covering, front cabin area, all-weather durable	s	s	S	S
	BG3	Floor covering, cargo area, composite, anti-slip, high- durability	S	S	S	S
	UE4	Following Distance Indicator	S	S	s	S
	UEU	Forward Collision Alert	S	S	S	S
	NAM	Google Automotive Services capable	S	S	S	S
	5H1	Key system, 2 additional key fobs	s	s	S	S
	UHX	Lane Keep Assist with Lane Departure Warning	s	s	S	S
		LED lighting, 2, motion-sensing, cargo area	S	s	S	S
	UIT	LED Reflective Windshield Collision Alert	s	s	S	S
	UE1	OnStar services capable 1 - See onstar.com for details and limitations. Services vary by model. Service plan required.	S ¹	S ¹	S1	S ¹
	VV4	Wi-Fi Hotspot capable 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S ¹	S1	S ¹
	U5G	5G vehicle connectivity 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S ¹	S1	S ¹
		 OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. 1 - Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations. 	S ¹	S ¹	S ¹	S1
	UFA	Outside temperature display, located in the infotainment display	s	S	S	S
		Pedestrian safety signal , automated external sound generator at low speeds alerts pedestrians of vehicle presence in the front and rear of the vehicle	S	S	S	S
		Push Button Start	S	S	S	S
	KH8	Power outlet, auxiliary, 12-volt	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
	KI4	Power outlets , two, 110-volt, located in upper instrument panel bin and on cargo area bulkhead wall	S	S	S	S
	ATH	Remote Keyless Entry	S	S	S	S
		Remote panic alarm	S	S	S	S
	BTV	Remote vehicle starter system	S	S	S	S
	HS1	Safety Alert Seat	S	S	S	S
	A50	Seat, front bucket, driver with 2-way headrest	S	S	S	S
	ASP	Seat, front passenger jump	S	S	S	S
	KAG	Seat, heated driver cushion and seatback	S	S	S	S
	A2U	Seat adjuster, driver 6-way manual	S	S	S	S
	A70	Seat belt, driver, 3-point	S	s	S	S
	AIA	Seat belt, front passenger jump seat, 3-point	S	S	S	S
	AEO	Seat belt pretensioner, driver	S	S	S	S
	379	Seat belt color, Orange	S	s	S	S
	ASV	Sensor, humidity and windshield temperature	S	S	S	S
	FSE	Spare fuse kit	S	S	S	S
		Steering column, manual tilt and telescoping	S	s	S	S
	N5W	Steering wheel, urethane	S	S	S	S
	KI3	Steering wheel, heated	S	S	S	S
	PZ8	Step Bumper View	S	s	S	S
		Storage bins, upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbside	S	S	S	S
		Storage, overhead console	S	s	S	S
		Storage tray, instrument panel	S	S	S	S
	UV2	HD Surround Vision	S	S	S	S
	UTJ	Theft deterrent system, unauthorized entry	S	S	S	S
	UTV	Theft deterrent sensor, cargo area interior movement	S	S	S	S
	UTU	Theft deterrent sensor, vehicle inclination	S	S	S	S
	UJN	Tire Pressure Monitor System , auto learn, includes Tire Fill Alert and Tire Leak Detection (does not apply to spare tire, if equipped)	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
	UVX	Traffic Sign Recognition 1 - Requires applicable active data plan for full functionality.	S ¹	S ¹	S ¹	S ¹
	9L7	Upfitter wiring provisions, includes two 30-amp relay controlled circuits	S	S	S	S
	VHM	Vehicle health management, provides advanced warning of vehicle issues	S	S	S	S
	WLD	Windows, remote express-down	S	S	S	S
	D5W	Cargo door, roll-up, rear	S	S	S	S
		Charge port lighting with charge indicator	S	S	s	S
	T83	Headlamp control, automatic on and off	S	S	S	S
		Headlamps, LED with daytime running lamps and turn signals	S	S	S	S
	TQ5	IntelliBeam, auto high beam	S	S	s	S
	U05	Horn, dual-note	S	S	s	S
	UF2	Lamp, exterior, overhead cargo door task light	S	S	S	S
		Lamp, front, Smoked Amber roof marker, LED	S	S	S	S
		Lamp, rear, Red, roof marker, LED	S	S	s	S
	VK3	License plate front mounting package	S	S	S	S
	DFC	Mirrors , outside, heated, power-adjustable, manual-folding with puddle lamps	S	S	S	S
	UD5	Front and Rear Park Assist	S	S	S	S
		Rear hold bars, integrated	S	S	s	S
		Rear step bumper	S	S	s	S
	TD1	Safety reflector triangle kit, set of 3	s	s	s	S
	VH4	Splash guards, rear	S	S	s	S
		Taillamps, LED	S	S	s	S
	КТІ	Tire inflator kit 1 - Deleted when (ZHR) spare tire is ordered.	S ¹	S1	S1	S ¹
		Tires, LT245/75R17E all-season, blackwall	S	S	S	S
	RSF	Wheels, 17" (43.2 cm) steel, White-painted	S	S	S	S
		Washer system, washer level sensor	S	S	S	S
	CE1	Wipers, front intermittent, Rainsense	s	S	s	S
		Auto Vehicle Hold	S	S	s	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
	ETC	Battery Pack, Standard Range (GM-estimated city/highway combined range up to 176 miles)	S	S	S	S
	K4F	Battery , 12-volt with rundown protection, 800 cold-cranking amps with 80 amp-hour rating	S	S	S	S
	J77	Brake, electronic parking	S	S	S	S
	JSV	Brakes, 17" front and rear sliding caliper disc with 4-wheel antilock braking	S	S	S	S
	UGN	Enhanced Automatic Emergency Braking	S	s	S	S
	UKT	Front Pedestrian and Bicyclist Braking	S	S	S	S
	СТВ	Intersection Automatic Emergency Braking	S	S	S	S
	UFB	Rear Cross Traffic Braking	S	S	S	S
	UVZ	Reverse Automatic Braking	S	S	S	S
		Regenerative braking	S	S	S	S
	K2O	Charging module, 19.2 kW high-voltage	S	s	S	S
		DC fast charging , 400 volt; Standard Range up to 180 kW, Extended Range up to 210 kW, Max Range up to 150 kW	S	S	S	S
	FWD	Chassis drive line, Front Wheel Drive (FWD)	S		s	
	XFD	Chassis drive line, All-Wheel Drive (AWD), electric front		S		S
	XRM	Drive System , FWD (Electronic FWD),1 motor (electric drive unit) 233 hp (174 kW) and 300 lb-ft (405 Nm) of torque	S		S	
	XRJ	Drive System , AWD (Electronic AWD), 2 motors (1 front and 1 rear electric drive unit) 300 hp (225 kW) and 390 lb-ft (530 Nm) of torque		S		S
	P81	Drive unit, front, primary, one motor, integrated inverter	S		S	
	P8N	Drive unit , rear, secondary, one motor, integrated inverter, no park		S		S
	S80	Drive unit , front, primary, one motor, integrated inverter, open differential, park system		S		S
	EPH	Electronic Precision Shift, electronic transmission range selector	S	S	S	S
	NF6	Emission system zero emission vehicle (ZEV)	S	S	S	S
		Final drive ratio, 15.41:1 (X81F) front axle	S		S	
		Final drive ratio, 13.26:1 (X80F) front axle and 11.63:1 (X77R) rear axle		S		S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
KYW		Governor , electronic speed sensor set to 75 MPH (120.7 KPH), provides electronic software to limit maximum road speed to 75 MPH (120.7 KPH) 1 - Not available with (KYR) 65 MPH governor.	S	A ¹	S	A ¹
	C5F	GVWR, 9990 lbs. (4531 kg)	S	S	S	S
		One Pedal Driving	S	S	S	S
		StabiliTrak, stability control system with Traction Control and Hill Start Assist	S	S	S	S
		Steering, power, electric-assisted	S	s	S	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
Code	Code		EJZ	EJY	EJZ	EJY
PCP		Power Door Package , includes (BHD) power open/close bulkhead door and (YG2) power passenger door	A	А	А	А
	C68	Air conditioning, automatic climate control	S	S	S	S
	AYP	Airbags, frontal for driver; roof-rail and side-impact for driver and passenger	S	S	S	S
	URL	11.3" diagonal advanced color LCD display with Google Built-In compatibility including navigation capability, connected apps, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones	S	S	S	S
	U95	Audio system feature, 2-speaker system	S	S	S	S
	UBJ	USB ports , 2, one type-A and one type-C, located within the instrument panel	S	S	S	S
	UKI	Blind Zone Steering Assist	S	S	S	S
	T8Z	Buckle to Drive , prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off through the vehicle infotainment screen	S	S	S	S
	AYW	Bulkhead door, manual open/close	S	S	S	S
	BHD	Bulkhead door, power open/close 1 - Included and only available with (PCP) Power Door Package.	A ¹	A ¹	A ¹	A ¹
		Cargo tie downs, 6, fixed, rated at 1,000 lbs (453.59 kg) each 1 - Number of cargo tie downs changes to 5 when (ZHR) spare tire is ordered.	S ¹	S ¹		-
		Cargo tie downs , 8, fixed, rated at 1,000 lbs (453.59 kg) each			S	S
	U80	Compass, digital	S	S	S	S
	KSG	Adaptive Cruise Control	s	S	S	S
		Cup holders, 2 on driver side, 1 on curbside	S	S	S	S

INTERIOR

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
		Delivery Mode , a feature that automates repetitive tasks for the driver to speed package delivery. Features include turning on cabin lighting, unlocking doors, automating bulkhead door and curbside doors (if equipped with power package) and sounding the horn when vehicle is shifted out of park.	<u>EJZ</u>	<u>EJY</u> S	<u>EJZ</u> S	EJY S
		Door locks, power	s	S	S	S
	URF	Driver Information Center, 11" diagonal display	S	S	S	S
	VS6	Fire extinguisher, 1.5 kg with mount	S	S	S	S
	VS1	First aid kit	S	S	S	S
		Floor covering, front cabin area, all-weather durable	s	S	S	S
	BG3	Floor covering, cargo area, composite, anti-slip, high- durability	S	S	S	S
	UE4	Following Distance Indicator	S	S	S	S
	UEU	Forward Collision Alert	S	S	S	S
	NAM	Google Automotive Services capable	S	S	S	S
	5H1	Key system, 2 additional key fobs	S	S	S	S
	UHX	Lane Keep Assist with Lane Departure Warning	S	S	S	S
		LED lighting, 2, motion-sensing, cargo area	S	S	S	S
	UIT	LED Reflective Windshield Collision Alert	S	S	S	S
	UE1	OnStar services capable 1 - See onstar.com for details and limitations. Services vary by model. Service plan required.	S1	S1	S1	S ¹
	VV4	Wi-Fi Hotspot capable 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S1	S1	S ¹
	U5G	5G vehicle connectivity 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S1	S1	S1
		 OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. 1 - Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations. 	S ¹	S ¹	S ¹	S1

Ref.

Only

RPO

Code UFA

KH8

KI4

ATH

BTV

Free

Flow

RPO

Code

INTERIOR

	Prop 600				
Description		BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
		EJZ	EJY	EJZ	EJY
	Outside temperature display, located in the infotainment display	S	S	s	S
	Pedestrian safety signal , automated external sound generator at low speeds alerts pedestrians of vehicle presence in the front and rear of the vehicle	S	S	S	S
	Push Button Start	S	S	S	s
	Power outlet, auxiliary, 12-volt	S	S	S	S
	Power outlets , two, 110-volt, located in upper instrument panel bin and on cargo area bulkhead wall	S	S	S	S
	Remote Keyless Entry	S	S	s	S
	Remote panic alarm	s	S	s	S
	Remote vehicle starter system	S	S	S	S
	Safety Alert Seat	S	S	S	S
	Seat, front bucket, driver with 2-way headrest	S	S	s	s
	Seat, front passenger jump	S	S	S	S
	Seat, heated driver cushion and seatback	S	S	S	s
	Seat adjuster, driver 6-way manual	S	S	s	s
	Seat belt, driver, 3-point	s	S	s	s
	Seat belt, front passenger jump seat, 3-point	s	S	s	s
	Seat belt pretensioner. driver	S	S	ď	9

	-	3	0	3	3
HS1	Safety Alert Seat	S	S	S	S
A50	Seat, front bucket, driver with 2-way headrest	S	S	S	S
ASP	Seat, front passenger jump	S	S	S	s
KAG	Seat, heated driver cushion and seatback	S	S	S	s
A2U	Seat adjuster, driver 6-way manual	S	s	S	s
A70	Seat belt, driver, 3-point	S	s	S	s
AIA	Seat belt, front passenger jump seat, 3-point	S	S	S	s
AEO	Seat belt pretensioner, driver	S	s	S	s
379	Seat belt color, Orange	S	s	S	s
ASV	Sensor, humidity and windshield temperature	S	s	S	s
FSE	Spare fuse kit	S	s	S	s
	Steering column, manual tilt and telescoping	S	s	S	s
N5W	Steering wheel, urethane	S	S	S	s
KI3	Steering wheel, heated	S	s	S	s
PZ8	Step Bumper View	S	S	S	s
	Storage bins, upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbside	S	S	S	s
	Storage, overhead console	S	S	S	s
	Storage tray, instrument panel	S	S	S	s
UV2	HD Surround Vision	S	S	S	S
	A50 ASP KAG A2U A70 A1A AEO 379 ASV FSE N5W KI3 PZ8	A50Seat, front bucket, driver with 2-way headrestASPSeat, front passenger jumpKAGSeat, heated driver cushion and seatbackA2USeat adjuster, driver 6-way manualA70Seat belt, driver, 3-pointAIASeat belt, front passenger jump seat, 3-pointAEOSeat belt pretensioner, driver379Seat belt color, OrangeASVSensor, humidity and windshield temperatureFSESpare fuse kitSteering column, manual tilt and telescopingN5WSteering wheel, urethaneKI3Steering wheel, heatedPZ8Storage bins, upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbsidestorage, overhead consoleStorage tray, instrument panel	HS1Safety Alert SeatSA50Seat, front bucket, driver with 2-way headrestSASPSeat, front passenger jumpSKAGSeat, heated driver cushion and seatbackSA2USeat adjuster, driver 6-way manualSA70Seat belt, driver, 3-pointSAIASeat belt, front passenger jump seat, 3-pointSAEOSeat belt pretensioner, driverS379Seat belt color, OrangeSASVSensor, humidity and windshield temperatureSFSESpare fuse kitSSteering column, manual tilt and telescopingSKI3Steering wheel, heatedSPZ8Step Bumper ViewSStorage bins, upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbsideSStorage, overhead consoleSSStorage tray, instrument panelS	HS1Safety Alert SeatSSA50Seat, front bucket, driver with 2-way headrestSSASPSeat, front passenger jumpSSKAGSeat, heated driver cushion and seatbackSSA2USeat adjuster, driver 6-way manualSSA70Seat belt, driver, 3-pointSSAIASeat belt, front passenger jump seat, 3-pointSSAEOSeat belt pretensioner, driverSS379Seat belt color, OrangeSSASVSensor, humidity and windshield temperatureSSFSESpare fuse kitSSSteering wheel, urethaneSSK13Steering wheel, heatedSSF28Step Bumper ViewSSStorage bins, upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbsideSSStorage, overhead consoleSSSStorage tray, instrument panelSSS	HS1Safety Alert SeatSSSA50Seat, front bucket, driver with 2-way headrestSSSASPSeat, front passenger jumpSSSKAGSeat, heated driver cushion and seatbackSSSA2USeat adjuster, driver 6-way manualSSSA70Seat belt, driver, 3-pointSSSAIASeat belt, front passenger jump seat, 3-pointSSSAEOSeat belt pretensioner, driverSSS379Seat belt color, OrangeSSSASVSensor, humidity and windshield temperatureSSSFSESpare fuse kitSSSMSWSteering wheel, urethaneSSSK13Steering wheel, heatedSSSFZ8Step Bumper ViewSSSStorage bins, upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbsideSSStorage tray, instrument panelSSS

INTERIOR

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
	UTJ	Theft deterrent system, unauthorized entry	ejz S	EJY	EJZ	EJY
	UTV	Theft deterrent sensor, cargo area interior movement	s	s	s	s
	UTU	Theft deterrent sensor, vehicle inclination	S	S	S	S
	UJN	Tire Pressure Monitor System , auto learn, includes Tire Fill Alert and Tire Leak Detection (does not apply to spare tire, if equipped)	S	S	S	S
	UVX	Traffic Sign Recognition 1 - Requires applicable active data plan for full functionality.	S ¹	S ¹	S ¹	S ¹
KGU		NEW! Universal Vehicle Module, provides CAN readability of select vehicle informational messages utilizing SAE J1939 formatting. This gateway module offers 10 customizable outputs that are configurable through the use of a graphical user interface. Logic criteria can be applied to the over 90 J1939 informational signals that dictate when these outputs activate, enabling synchronization with electrical equipment. Further, this module provides vehicle level features that can suit a variety of upfit needs, including Automatic Vehicle Start and Shutdown Inhibit.	A	A	A	Α
	9L7	Upfitter wiring provisions , includes two 30-amp relay controlled circuits	S	s	S	S
	VHM	Vehicle health management, provides advanced warning of vehicle issues	S	S	S	S
	WLD	Windows, remote express-down	S	S	S	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
Code	Code		EJZ	EJY	EJZ	EJY
	D5W	Cargo door, roll-up, rear	s	s	S	s
		Charge port lighting with charge indicator	S	S	S	S
	YG2	Door, power passenger 1 - Included and only available with (PCP) Power Door Package.	A ¹	A ¹	A ¹	A ¹
	T83	Headlamp control, automatic on and off	S	S	S	S
		Headlamps, LED with daytime running lamps and turn signals	s	S	s	S
	TQ5	IntelliBeam, auto high beam	S	S	S	S
	U05	Horn, dual-note	S	S	S	S
	UF2	Lamp, exterior, overhead cargo door task light	S	S	S	S
		Lamp, front, Smoked Amber roof marker, LED	S	S	S	S
		Lamp, rear, Red, roof marker, LED	S	S	S	S
	VK3	License plate front mounting package	S	S	S	S
	Q8E	Mechanical jack with tools 1 - Included and only available with (ZHR) spare tire.	A ¹	A ¹	A ¹	A ¹
	DFC	Mirrors , outside, heated, power-adjustable, manual-folding with puddle lamps	S	S	S	S
	UD5	Front and Rear Park Assist	S	S	S	S
		Rear hold bars, integrated	S	S	S	S
		Rear step bumper	S	S	S	S
CC4		Roof, cargo area, translucent	А	А	А	A
	TD1	Safety reflector triangle kit, set of 3	S	S	s	S
	VH4	Splash guards, rear	S	S	s	S
		Taillamps, LED	S	S	S	S
	КТІ	Tire inflator kit 1 - Deleted when (ZHR) spare tire is ordered.	S ¹	S ¹	S ¹	S ¹

EXTERIOR

Free Flow RPO	Ref. Only RPO	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
Code	Code		EJZ	EJY	EJZ	EJY
ZHR		Tire, spare LT245/75R17E all-season, blackwall 1 - Includes (Q8E) mechanical jack with tools and (RUF) 17" White-painted steel spare wheel. Or includes (Q8E) mechanical jack with tools and (NZ4) 17" Black-painted spare wheel when (PYN) 17" Black-painted steel wheels is ordered.	A ¹	A ¹	A ¹	A ¹
		Tires, LT245/75R17E all-season, blackwall	S	S	S	S
	RUF	Wheel, 17" (43.2 cm) steel spare, White-painted 1 - Included and only available with (ZHR) spare tire.	A ¹	A ¹	A ¹	A ¹
	NZ4	Wheel, 17" (43.2 cm) steel spare, Black-painted 1 - Included and only available with (ZHR) spare tire when (PYN) 17" Black-painted steel wheels is ordered.	A ¹	A ¹	A ¹	A ¹
	RSF	Wheels, 17" (43.2 cm) steel, White-painted	S	S	S	S
PYN		Wheels, 17" (43.2 cm) steel, Black-painted 1 - Includes (NZ4) 17" Black-painted spare wheel when (ZHR) spare tire is ordered.	A ¹	A ¹	A ¹	A ¹
		Washer system, washer level sensor	S	S	S	S
	CE1	Wipers, front intermittent, Rainsense	S	S	S	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■= Included in Equipment Group □= Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
Code	Code		EJZ	EJY	EJZ	EJY
		Auto Vehicle Hold	S	S	S	S
	ETC	Battery Pack, Standard Range (GM-estimated city/highway combined range up to 176 miles)	S	S	S	S
EWU		NEW! Battery Pack , Extended Range (GM-estimated city/highway combined range up to 204 miles)	A	A	А	A
ETJ		Battery Pack, Max Range (GM-estimated city/highway combined range up to 285 miles)		A		A
	K4F	Battery , 12-volt with rundown protection, 800 cold-cranking amps with 80 amp-hour rating	S	S	S	S
	J77	Brake, electronic parking	S	S	S	S
	JSV	Brakes, 17" front and rear sliding caliper disc with 4-wheel antilock braking	S	S	S	s
	UGN	Enhanced Automatic Emergency Braking	S	S	S	S
	UKT	Front Pedestrian and Bicyclist Braking	S	S	S	S
	СТВ	Intersection Automatic Emergency Braking	S	S	S	s
	UFB	Rear Cross Traffic Braking	S	S	S	S
	UVZ	Reverse Automatic Braking	S	S	S	S
		Regenerative braking	S	S	S	S
	K2O	Charging module, 19.2 kW high-voltage	S	S	S	S
KV7		NEW! Offboarding Power, 7.2 kW split phase, AC power, includes (K28) 11.5 kW high-voltage charging module	А	A	А	A
	K28	Charging module, 11.5 kW high-voltage 1 - Included and only available with (KV7) power off-boarding.	A ¹	A ¹	A ¹	A ¹
		DC fast charging , 400 volt; Standard Range up to 180 kW, Extended Range up to 210 kW, Max Range up to 150 kW	S	S	S	S
	FWD	Chassis drive line, Front Wheel Drive (FWD)	S		S	
	XFD	Chassis drive line, All-Wheel Drive (AWD), electric front		S		S
	XRM	Drive System , FWD (Electronic FWD),1 motor (electric drive unit) 233 hp (174 kW) and 300 lb-ft (405 Nm) of torque	S		S	

MECHANICAL

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
	XRJ	Drive System, AWD (Electronic AWD), 2 motors (1 front and 1 rear electric drive unit) 300 hp (225 kW) and 390 lb-ft (530 Nm) of torque	EJZ 	EJY S	EJZ 	EJY S
	P81	Drive unit, front, primary, one motor, integrated inverter	S		S	
	P8N	Drive unit , rear, secondary, one motor, integrated inverter, no park		S		S
	S80	Drive unit, front, primary, one motor, integrated inverter, open differential, park system		S		S
	EPH	Electronic Precision Shift, electronic transmission range selector	S	s	S	S
	NF6	Emission system zero emission vehicle (ZEV)	S	S	s	S
FE9		Emissions, Federal requirements	A	A	А	А
YF5		Emissions, California state requirements	A	A	А	А
NE1		Emissions , Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont and Washington state requirements	A	A	A	A
NB8		Emissions override, California (allows a dealer in states that require California emissions - California, Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont or Washington 1 - Requires (FE9) Federal emissions requirements.	A ¹	A ¹	A ¹	A ¹
NB9		Emissions override, state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.	A ¹	A ¹	A ¹	A ¹
NC7		 Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont or Washington) 1 - Requires (YF5) California state emissions requirements or (NE1) Colorado, Maryland, Massachusetts, New Jersey, New York, Oregon, Rhode Island, Vermont or two states of the state state emissions requirements. 	A ¹	A ¹	A ¹	A ¹

MECHANICAL

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
		Final drive ratio, 15.41:1 (X81F) front axle	s		S	
		Final drive ratio, 13.26:1 (X80F) front axle and 11.63:1 (X77R) rear axle		S		S
R7D		GM Envolve EV Starter Kit I 1 - Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Requires one of the following OnStar Insights services: (P0V) 12 Months, (P0W) 24 Months, (P0X) 36 Months, (P0Y) 48 Months, or (P0Z) 60 Months. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
KYW		Governor , electronic speed sensor set to 75 MPH (120.7 KPH), provides electronic software to limit maximum road speed to 75 MPH (120.7 KPH) 1 - Not available with (KYR) 65 MPH governor.	S	A ¹	S	A ¹
KYR		 Governor, electronic speed sensor set to 65 MPH (104.6 KPH), provides electronic software to limit maximum road speed to 65 MPH (104.6 KPH) 1 - Replaces (KYW) 75 MPH governor. 2 - Not available with (KYW) 75 MPH governor. 	A ¹	A ²	A ¹	A ²
	C5F	GVWR, 9990 lbs. (4531 kg)	s	S	S	S
C7E		GVWR, 11,000 lbs. (4990 kg)	A	А	А	А
		One Pedal Driving	s	S	S	S
		StabiliTrak, stability control system with Traction Control and Hill Start Assist	S	S	S	S
		Steering, power, electric-assisted	S	S	S	S

USA

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■= Included in Equipment Group □= Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level	Seat Type	Seat Code	Seat Trim	Interior Jet Black
	Front bucket, driver; front passenger jump seat	A50	Cloth	HBA

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior Jet Black
Oyster White ¹	GRO	WA-673G	S
1 - Includes White-painted body with White-painted doors.	-		

USA

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■= Included in Equipment Group □= Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Model.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
		Ship Thru Codes	EJZ	EJY	EJZ	EJY
VTJ		Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Toledo, OH (Dealer Invoice = \$300.00)	A	A	A	A
VSQ		Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Wentzville, MO (Dealer Invoice = \$300.00)	A	A	A	A
V2Q		Ship Thru, Produced in Ingersoll, Ontario and shipped to Utilimaster, Kansas City, MO (Dealer Invoice = \$300.00)	A	A	А	A
VAM		Ship Thru Holman Roanoke IN (Dealer Invoice = \$1,354.52)	A	A	A	A
VAZ		Ship Thru Bush Specialty Vehicles Wilmington OH (Dealer Invoice = \$1,186.21)	А	A	A	A
VCC		Ship Thru Utilimaster Charlotte MI (Dealer Invoice = \$1,192.88)	A	A	A	A
VDV		Ship Thru Grounded RV, Detroit MI (Dealer Invoice = \$931.84)	А	A	A	A

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■= Included in Equipment Group □= Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO	Ref. Only RPO	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
Code	Code		EJZ	EJY	EJZ	EJY
POU		12 Months OnStar Protect Includes up to 12 months of OnStar Protect. Confidence on the road is the only way to go. With Emergency Advisors and security services at the ready, OnStar is there for you. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POJ, POK, POL, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
P0J		24 Months OnStar Protect Includes up to 24 months of OnStar Protect. Confidence on the road is the only way to go. With Emergency Advisors and security services at the ready, OnStar is there for you. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0U, P0K, P0L, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
РОК		36 Months OnStar Protect Includes up to 36 months of OnStar Protect. Confidence on the road is the only way to go. With Emergency Advisors and security services at the ready, OnStar is there for you. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POU, POJ, POL, POQ, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹

41

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
POL		48 Months OnStar Protect Includes up to 48 months of OnStar Protect. Confidence on the road is the only way to go. With Emergency Advisors and security services at the ready, OnStar is there for you. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POU, POJ, POK, POQ, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	EJZ A ¹	EJY A ¹	EJZ A ¹	EJY A ¹
P0Q		60 Months OnStar Protect Includes up to 60 months of OnStar Protect. Confidence on the road is the only way to go. With Emergency Advisors and security services at the ready, OnStar is there for you. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0K, P0L, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A	A ¹	A	A ¹
R8G		12 Months OnStar One Fleet Includes up to 12 months of OnStar One Fleet. Everything you need to feel more confident, connected, and productive on the road. Includes safety, telematics, Wi-Fi hotspot, and streaming services. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. Requires eligible vehicle. Streaming services vary with conditions and location. Terms apply. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with RFH, R8P, R8Z, R8W, POU, POJ, POK, POL, POQ, POV, POW, POX, POY, POZ, POH, POI, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹

115/

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
RFH		24 Months OnStar One Fleet Includes up to 24 months of OnStar One Fleet. Everything you need to feel more confident, connected, and productive on the road. Includes safety, telematics, Wi-Fi hotspot, and streaming services. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. Requires eligible vehicle. Streaming services vary with conditions and location. Terms apply. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R82, R8W, POU, POJ, POK, POL, POQ, POV, POW, POX, POY, POZ, POH, POI, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
R8P		36 Months OnStar One Fleet Includes up to 36 months of OnStar One Fleet. Everything you need to feel more confident, connected, and productive on the road. Includes safety, telematics, Wi-Fi hotspot, and streaming services. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. Requires eligible vehicle. Streaming services vary with conditions and location. Terms apply. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, RFH, R8Z, R8W, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
R8Z		48 Months OnStar One Fleet Includes up to 48 months of OnStar One Fleet. Everything you need to feel more confident, connected, and productive on the road. Includes safety, telematics, Wi-Fi hotspot, and streaming services. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. Requires eligible vehicle. Streaming services vary with conditions and location. Terms apply. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, RFH, R8P, R8W, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹

	_
	r • 1
	•

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
R8W		60 Months OnStar One Fleet Includes up to 60 months of OnStar One Fleet. Everything you need to feel more confident, connected, and productive on the road. Includes safety, telematics, Wi-Fi hotspot, and streaming services. Working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. Requires eligible vehicle. Streaming services vary with conditions and location. Terms apply. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, RFH, R8P, R8Z, POU, POJ, POK, POL, POQ, POV, POW, POX, POY, POZ, POH, POI, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
POV		12 Months OnStar Telematics Includes up to 12 months of OnStar Telematics. Provides actionable insights to help optimize your fleet's operations and allow remote vehicle management. OnStar Telematics does not include emergency or security services. Eligible customers must sign up for an account at gmenvolve.com/software/onstar in order to take advantage of this 12 month offer. Active connected vehicle services, working electrical system, cell reception and GPS signal required. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet, Fleet Daily Rental or Government order types: FDR, FLS, FNR, FRC, FBC, FGO or FEF. Not available with POW, POX, POY, POZ, R86, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
POW		24 Months OnStar Telematics Includes up to 24 months of OnStar Telematics. Provides actionable insights to help optimize your fleet's operations and allow remote vehicle management. OnStar Telematics does not include emergency or security services. Eligible customers must sign up for an account at gmenvolve.com/software/onstar in order to take advantage of this 24 month offer. Active connected vehicle services, working electrical system, cell reception and GPS signal required. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet, Fleet Daily Rental or Government order types: FDR, FLS, FNR, FRC, FBC, FGO or FEF. Not available with POV, POX, POY, POZ, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹

8	Δ

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
POX		36 Months OnStar Telematics Includes up to 36 months of OnStar Telematics. Provides actionable insights to help optimize your fleet's operations and allow remote vehicle management. OnStar Telematics does not include emergency or security services. Eligible customers must sign up for an account at gmenvolve.com/software/onstar in order to take advantage of this 36 month offer. Active connected vehicle services, working electrical system, cell reception and GPS signal required. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0V, P0W, P0Y, P0Z, R86, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
POY		48 Months OnStar Telematics Includes up to 48 months of OnStar Telematics. Provides actionable insights to help optimize your fleet's operations and allow remote vehicle management. OnStar Telematics does not include emergency or security services. Eligible customers must sign up for an account at gmenvolve.com/software/onstar in order to take advantage of this 48 month offer. Active connected vehicle services, working electrical system, cell reception and GPS signal required. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POV, POW, POX, POZ, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
P0Z		60 Months OnStar Telematics Includes up to 60 months of OnStar Telematics. Provides actionable insights to help optimize your fleet's operations and allow remote vehicle management. OnStar Telematics does not include emergency or security services. Eligible customers must sign up for an account at gmenvolve.com/software/onstar in order to take advantage of this 60 month offer. Active connected vehicle services, working electrical system, cell reception and GPS signal required. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See gmenvolve.com/software/onstar for details and limitations. Non-transferable and non-refundable. 1 - Requires (UE1) OnStar. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POV, POW, POX, POY, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹

ONSTAR/SIRIUSXM FLEET OPTIONS

r - 1	
•	-

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
P0H		12 Months OnStar Connect Plus Includes up to 12 months of OnStar Connect Plus. Unlock in-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot. OnStar Connect Plus does not include emergency or security services. Requires eligible vehicle. Streaming services vary with conditions and location. HD Streaming services are subject to terms and limitations. Availability may vary by vehicle, infotainment system, location. and active service plan. Hulu service: Hulu subscription required. U.S. only. Terms apply. Hulu and Hulu logo are registered trademarks of Hulu, LLC. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non- refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0I, PQG, PQH, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
POI		 24 Months OnStar Connect Plus Includes up to 24 months of OnStar Connect Plus. Unlock in-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot. OnStar Connect Plus does not include emergency or security services. Requires eligible vehicle. Streaming services vary with conditions and location. HD Streaming services vary with conditions and location. HD Streaming services vary vehicle, infotainment system, location. and active service plan. Hulu service: Hulu subscription required. U.S. only. Terms apply. Hulu and Hulu logo are registered trademarks of Hulu, LLC. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non- refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0H, PQG, PQH, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands. 	A ¹	A ¹	A ¹	A ¹

ONSTAR/SIRIUSXM FLEET OPTIONS


	9	v	Λ

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705 EJZ	BrightDrop 400 AWD CM32705 EJY	BrightDrop 600 FWD CJ32905 EJZ	BrightDrop 600 AWD CM32905 EJY
PQG		36 Months OnStar Connect Plus Includes up to 36 months of OnStar Connect Plus. Unlock in-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot. OnStar Connect Plus does not include emergency or security services. Requires eligible vehicle. Streaming services vary with conditions and location. HD Streaming services are subject to terms and limitations. Availability may vary by vehicle, infotainment system, location. and active service plan. Hulu service: Hulu subscription required. U.S. only. Terms apply. Hulu and Hulu logo are registered trademarks of Hulu, LLC. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non- refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0H, P0I, PQH, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹
PQH		 48 Months OnStar Connect Plus Includes up to 48 months of OnStar Connect Plus. Unlock in-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot. OnStar Connect Plus does not include emergency or security services. Requires eligible vehicle. Streaming services vary with conditions and location. HD Streaming services are subject to terms and limitations. Availability may vary by vehicle, infotainment system, location. and active service plan. Hulu service: Hulu subscription required. U.S. only. Terms apply. Hulu and Hulu logo are registered trademarks of Hulu, LLC. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non- refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0H, P0I, PQG, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands. 	A ¹	A ¹	A ¹	A ¹

ONSTAR/SIRIUSXM FLEET OPTIONS

Free Flow RPO	Ref. Only RPO	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
Code	Code		EJZ	EJY	EJZ	EJY
PQI		60 Months OnStar Connect Plus Includes up to 60 months of OnStar Connect Plus. Unlock in-vehicle entertainment and productivity through access to a suite of apps in your center display including media streaming, navigation, voice assistance, and Wi-Fi hotspot. OnStar Connect Plus does not include emergency or security services. Requires eligible vehicle. Streaming services vary with conditions and location. HD Streaming services vary with conditions and location. HD Streaming services are subject to terms and limitations. Availability may vary by vehicle, infotainment system, location. and active service plan. Hulu service: Hulu subscription required. U.S. only. Terms apply. Hulu and Hulu logo are registered trademarks of Hulu, LLC. See gmenvolve.com/software/onstar for additional details and limitations. Non-transferable and non- refundable. 1 - Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with POH, POI, PQG, PQH, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A	A ¹

All dimensions in inches (mm) unless otherwise stated.






ed.			
	Specifications	CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWD
A	Wheelbase	153 (3890)	153 (3890)
В	Overall length	238.61 (6061)	238.61 (6061)
С	Vehicle width (with mirrors)	106.2 (2697)	106.2 (2697)
	Vehicle width (without mirrors) includes exterior curbside step extension	89.4 (2271)	89.4 (2271)
D	Overall height	109.2 (2774)	109.15 (2772)
	Overall height with shark fin antenna	109.3 (2776)	109.3 (2776)
	Overall height with mast antenna	117.69 (2989)	117.65 (2988)
	Ground clearance	7 (178)	6.98 (177)
	Overhang, front	33.99 (863)	33.99 (863)
	Overhang, rear	51.5 (1308)	51.5 (1308)
	Internal cargo area length	117.51 (2985)	117.51 (2985)
	Internal cargo area width, wall to wall	83.68 (2125)	83.68 (2125)
	Internal cargo area width, between wheel housing	54.71 (1390)	54.71 (1390)
	Internal cargo area height with door closed	82 (2083)	82 (2083)
	Internal cargo area height with door open	76 (1930)	76 (1930)
	Bulkhead access with door open (width)	28.21 (717)	28.21 (717)
	Bulkhead access with door open (height)	75.81 (1926)	75.81 (1926)
	Rear cargo access with door open (width)	57.57 (1462)	57.57 (1462)
	Rear cargo access with door open (height)	73.44 (1865)	73.44 (1865)
	Curbside door opening width	36.67 (931)	36.67 (931)

Specifications	CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWI
Curbside step, height to ground	15.57 (395)	15.5 (394)
Curbside step, depth, with exterior step	10.05 (255)	10.05 (255)
Cargo floor , height to ground	27.18 (690)	27.1 (688)
Rear step bumper , height to ground	18.6 (472)	18.48 (469)
Charge port, height to ground	35.81 (910)	35.76 (908)
Charge port. distance to end of step bumper	28.61 (727)	28.61 (727)

All dimensions in inches (mm) unless otherwise stated.



С

ed.			
	Specifications	CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWD
A	Wheelbase	183 (4660)	183 (4660)
В	Overall length	290 (7366)	290 (7366)
С	Vehicle width (with mirrors)	106.2 (2697)	106.2 (2697)
	Vehicle width (without mirrors)	86.52 (2198)	86.52 (2198)
D	Overall height	108.87 (2765)	108.79 (2763)
	Overall height with shark fin antenna	109 (2769)	109 (2769)
	Overall height with mast antenna	117.57 (2986)	117.57 (2986)
	Ground clearance	7.51 (191)	7.51 (191)
	Overhang, front	33.99 (863)	33.99 (863)
	Overhang, rear	72.57 (1843)	72.57 (1843)
	Internal cargo area length	168.9 (4290)	168.9 (4290)
	Internal cargo area width, wall to wall	83.68 (2125)	83.68 (2125)
	Internal cargo area width, between wheel housing	53.53 (1360)	53.53 (1360)
	Internal cargo area height with door closed	82 (2083)	82 (2083)
	Internal cargo area height with door open	76 (1930)	76 (1930)
	Bulkhead access with door open (width)	28.21 (717)	28.21 (717)
	Bulkhead access with door open (height)	75.81 (1926)	75.81 (1926)
	Rear cargo access with door open (width)	57.57 (1462)	57.57 (1462)
	Rear cargo access with door open (height)	73.44 (1865)	73.44 (1865)
	Curbside door opening width	36.67 (931)	36.67 (931)
	Curbside step, height to ground	15.49 (393)	15.49 (393)

Specifications	CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWI
Curbside step, depth	12.2 (310)	12.2 (310)
Cargo floor , height to ground	26.39 (670)	26.39 (670)
Rear step bumper, height to ground	18.09 (459)	18.02 (458)
Charge port, height to ground	35.29 (896)	35.22 (895)
Charge port. distance to end of step bumper	48.9 (1242)	48.9 (1242)

	CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWD
Specifications		
Turning diameter, curb-to-curb, ft. (m)	46.4 (14.1)	43.9 (13.4)
Approach angle, front (degrees)	22.6	22.5
Departure angle, rear (degrees)	18.6	18.5
Capacities		
Curb weight (C5F) with (ETC) Standard Range, lbs. (kg)	7240 (3284)	7470 (3388)
Curb weight (C5F) with (EWU) Extended Range, lbs. (kg)	7430 (3370)	7660 (3475)
Curb weight (C5F) with (ETJ) Max Range, lbs. (kg)		8170 (3706)
Curb weight (C7E) with (ETC) Standard Range, lbs. (kg)	7240 (3284)	7470 (3388)
Curb weight (C7E) with (EWU) Extended Range, lbs. (kg)	7430 (3370)	7660 (3475)
Curb weight (C7E) with (ETJ) Max Range, lbs. (kg)		8170 (3706)
Cargo volume, cu. ft. (liters)	412.1 (11669.4)	412.1 (11669.4)
Payload (C5F) with (ETC) Standard Range, lbs. (kg)	2690 (1220)	2460 (1116)
Payload (C5F) with (EWU) Extended Range, lbs. (kg)	2500 (1134)	2270 (1030)
Payload (C5F) with (ETJ) Max Range, lbs. (kg)		1770 (803)
Payload, Minimum, with all optional equipment (C5F) with (ETC) Standard Range, lbs. (kg)	2420 (1098)	2190 (993)
Payload, Minimum, with all optional equipment (C5F) with (EWU) Extended Range, lbs. (kg)	2230 (1012)	2010 (912)
Payload, Minimum, with all optional equipment (C5F) with (ETJ) Max Range, lbs. (kg)		1490 (676)
Payload (C7E) with (ETC) Standard Range, lbs. (kg)	3710 (1683)	3480 (1579)
Payload (C7E) with (EWU) Extended Range, lbs. (kg)	3510 (1592)	3280 (1488)
Payload (C7E) with (ETJ) Max Range, lbs. (kg)		2780 (1261)
Payload, Minimum, with all optional equipment (C7E) with (ETC) Standard Range, lbs. (kg)	3420 (1551)	3200 (1451)

USA

	CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWD
Payload, Minimum, with all optional equipment (C7E) with (EWU) Extended Range, lbs. (kg)	3240 (1470)	3000 (1361)
Payload, Minimum, with all optional equipment (C7E) with (ETJ) Max Range, lbs. (kg)		2500 (1134)
Gross Vehicle Weight Rating (GVWR) (C5F), lbs. (kg)	9990 (4531)	9990 (4531)
Gross Vehicle Weight Rating (GVWR) (C7E), lbs. (kg)	11000 (4990)	11000 (4990)
Front Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5291 (2400)	5291 (2400)
Front Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	5291 (2400)	5291 (2400)
Rear Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5732 (2600)	5732 (2600)
Rear Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	6172 (2800)	6172 (2800)

	CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWD
Specifications		
Turning diameter, curb-to-curb, ft. (m)	54.8 (16.7)	51.5 (15.7)
Approach angle, front (degrees)	23.1	23.2
Departure angle, rear (degrees)	12.6	12.6
Capacities		
Curb weight (C5F) with (ETC) Standard Range, lbs. (kg)	7590 (3443)	7820 (3547)
Curb weight (C5F) with (EWU) Extended Range, lbs. (kg)	7780 (3529)	8010 (3633)
Curb weight (C5F) with (ETJ) Max Range, lbs. (kg)		8520 (3865)
Curb weight (C7E) with (ETC) Standard Range, lbs. (kg)	7590 (3443)	7820 (3547)
Curb weight (C7E) with (EWU) Extended Range, lbs. (kg)	7780 (3529)	8010 (3633)
Curb weight (C7E) with (ETJ) Max Range, lbs. (kg)		8520 (3865)
Cargo volume, cu. ft. (liters)	614.7 (17406.4)	614.7 (17406.4)
Payload (C5F) with (ETC) Standard Range, lbs. (kg)	2340 (1061)	2110 (957)
Payload (C5F) with (EWU) Extended Range, lbs. (kg)	2150 (975)	1920 (871)
Payload (C5F) with (ETJ) Max Range, lbs. (kg)		1420 (644)
Payload, Minimum, with all optional equipment (C5F) with (ETC) Standard Range, lbs. (kg)	2110 (957)	1890 (857)
Payload, Minimum, with all optional equipment (C5F) with (EWU) Extended Range, lbs. (kg)	1920 (871)	1690 (767)
Payload, Minimum, with all optional equipment (C5F) with (ETJ) Max Range, lbs. (kg)		1180 (535)
Payload (C7E) with (ETC) Standard Range, lbs. (kg)	3350 (1520)	3130 (1420)
Payload (C7E) with (EWU) Extended Range, bs. (kg)	3160 (1433)	2930 (1329)
Payload (C7E) with (ETJ) Max Range, lbs. (kg)		2430 (1102)
Payload, Minimum, with all optional equipment (C7E) with (ETC) Standard Range, lbs. (kg)	3120 (1415)	2900 (1315)

	CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWD
Payload, Minimum, with all optional equipment (C7E) with (EWU) Extended Range, lbs. (kg)	2910 (1320)	2700 (1225)
Payload, Minimum, with all optional equipment (C7E) with (ETJ) Max Range, lbs. (kg)		2190 (993)
Gross Vehicle Weight Rating (GVWR) (C5F), lbs. (kg)	9990 (4531)	9990 (4531)
Gross Vehicle Weight Rating (GVWR) (C7E), lbs. (kg)	11000 (4990)	11000 (4990)
Front Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5291 (2400)	5291 (2400)
Front Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	5291 (2400)	5291 (2400)
Rear Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5732 (2600)	5732 (2600)
Rear Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	6172 (2800)	6172 (2800)

2026 Chevrolet Truck BrightDrop 400 and BrightDrop 600	WHEELS USA
	PYN Wheels, 17" (43.2 cm) steel, Black-painted
	RSF Wheels, 17" (43.2 cm) steel, White-painted

Option Code	Description
379	Seat belt color, Orange
5H1	Key system
9L7	Upfitter wiring provisions
A2U	Seat adjuster, driver 6-way manual
A50	Seat, front bucket
A70	Seat belt, driver
AEO	Seat belt pretensioner
AIA	Seat belt, front passenger jump seat
ASP	Seat, front passenger jump
ASV	Sensor, humidity
ATH	Remote Keyless Entry
AYP	Airbags, frontal for driver; roof-rail and side-impact for driver and passenger
AYW	Bulkhead door, manual open/close
BG3	Floor covering, cargo area, composite
BHD	Bulkhead door, power open/close
BTV	Remote vehicle starter system
C5F	GVWR, 9990 lbs. (4531 kg)
C68	Air conditioning, automatic climate control
C7E	GVWR, 11,000 lbs. (4990 kg)
CC4	Roof, cargo area
CE1	Wipers, front intermittent, Rainsense
СТВ	Intersection Automatic Emergency Braking
D5W	Cargo door, roll-up, rear
DFC	Mirrors, outside, heated, power-adjustable
EPH	Electronic Precision Shift
ETC	Battery Pack
ETJ	Battery Pack
EWU	Battery Pack
FE9	Emissions, Federal requirements
FSE	Spare fuse kit
FWD	Chassis drive line, Front Wheel Drive (FWD)
HS1	Safety Alert Seat
J77	Brake, electronic parking
JSV	Brakes, 17" front and rear sliding caliper disc
K28	Charging module, 11.5 kW high-voltage
K2O	Charging module, 19.2 kW
K4F	Battery, 12-volt with rundown protection
KAG	Seat, heated driver cushion and seatback
KGU	Universal Vehicle Module
KH8	Power outlet, auxiliary
KI3	Steering wheel, heated
KI4	Power outlets, two, 110-volt
KSG	Adaptive Cruise Control
KTI	Tire inflator kit
KV7	Offboarding Power
KYR	Governor, electronic speed sensor set to 65 MPH (104.6 KPH)
KYW	Governor, electronic speed sensor set to 75 MPH (120.7 KPH)
N5W	Steering wheel, urethane

Option Code	Description
NAM	Google Automotive Services capable
NB8	Emissions override, California
NB9	Emissions override, state-specific
NC7	Emissions override, Federal
NE1	Emissions
NF6	Emission system zero emission vehicle (ZEV)
NZ4	Wheel, 17" (43.2 cm) steel spare
P0H	12 Months OnStar Connect Plus
P0I	24 Months OnStar Connect Plus
P0J	24 Months OnStar Protect
P0K	36 Months OnStar Protect
P0L	48 Months OnStar Protect
P0Q	60 Months OnStar Protect
P0U	12 Months OnStar Protect
P0V	12 Months OnStar Telematics
P0W	24 Months OnStar Telematics
P0X	36 Months OnStar Telematics
P0Y	48 Months OnStar Telematics
P0Z	60 Months OnStar Telematics
P81	Drive unit, front
P8N	Drive unit, rear
PCP	Power Door Package
PQG	36 Months OnStar Connect Plus
PQH	48 Months OnStar Connect Plus
PQI	60 Months OnStar Connect Plus
PYN	Wheels, 17" (43.2 cm) steel
PZ8	Step Bumper View
Q8E	Mechanical jack with tools
R7D	GM Envolve EV Starter Kit I
R8G	12 Months OnStar One Fleet
R8P	36 Months OnStar One Fleet
R8W	60 Months OnStar One Fleet
R8Z	48 Months OnStar One Fleet
RFH	24 Months OnStar One Fleet
RSF	Wheels, 17" (43.2 cm) steel
RUF	Wheel, 17" (43.2 cm) steel spare
S80	Drive unit, front
T83	Headlamp control, automatic on and off
T8Z	Buckle to Drive
TD1	Safety reflector triangle kit
TQ5	IntelliBeam
U05	Horn, dual-note
U5G	5G vehicle connectivity
U80	Compass, digital
U95	Audio system feature, 2-speaker system
UBJ	USB ports, 2
UD5	Front and Rear Park Assist
UE1	OnStar services capable
	<u> </u>

Published June 13, 2025 Page 36

USA

Option Code	Description
UE4	Following Distance Indicator
UEU	Forward Collision Alert
UF2	Lamp, exterior
UFA	Outside temperature display
UFB	Rear Cross Traffic Braking
UGN	Enhanced Automatic Emergency Braking
UHX	Lane Keep Assist with Lane Departure Warning
UIT	LED Reflective Windshield Collision Alert
UJN	Tire Pressure Monitor System
UKI	Blind Zone Steering Assist
UKT	Front Pedestrian and Bicyclist Braking
URF	Driver Information Center, 11" diagonal display
URL	11.3" diagonal advanced color LCD display with Google Built-In
UTJ	Theft deterrent system
UTU	Theft deterrent sensor, vehicle inclination
UTV	Theft deterrent sensor, cargo area interior movement
UV2	HD Surround Vision
UVX	Traffic Sign Recognition
UVZ	Reverse Automatic Braking
V2Q	Ship Thru, Produced in Ingersoll, Ontario and shipped to Utilimaster, Kansas City, MO
VAM	Ship Thru Holman Roanoke IN
VAZ	Ship Thru Bush Specialty Vehicles Wilmington OH
VCC	Ship Thru Utilimaster Charlotte MI
VDV	Ship Thru Grounded RV, Detroit MI
VH4	Splash guards, rear
VHM	Vehicle health management
VK3	License plate front mounting package
VS1	First aid kit
VS6	Fire extinguisher, 1.5 kg
VSQ	Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Wentzville, MO
VTJ	Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Toledo, OH
VV4	Wi-Fi Hotspot capable
WLD	Windows, remote express-down
XFD	Chassis drive line, All-Wheel Drive (AWD), electric front
XRJ	Drive System, AWD (Electronic AWD)
XRM	Drive System, FWD (Electronic FWD)
YF5	Emissions, California state requirements
YG2	Door, power passenger
ZHR	Tire, spare LT245/75R17E all-season, blackwall

USA

Updates for BrightDrop 400 and BrightDrop 600

Week of 6/9/2025

Effective 6/9/2025, the following changes will be made to the Vehicle Order Guide:

- Mechanical section-(ETJ) Battery Pack, Max Range, updated extended description to now read "(GMestimated city/highway combined range up to 285 miles)".
- Mechanical section-DC fast charging, 400 volt, updated extended description to now read "Standard Range up to 180 kW, Extended Range up to 210 kW, Max Range up to 150 kW".

Week of 5/26/2025

Effective 5/26/2025, the following changes will be made to the Vehicle Order Guide:

• Mechanical section-Deleted (PCZ) Standard EV Charging Installation.

Week of 4/21/2025

Effective 4/21/2025, the following changes will be made to the Vehicle Order Guide:

- SEO/Ship Thru section-(VAM) Ship Thru Holman Roanoke IN, updated Dealer Invoice to \$1,354.52.
- SEO/Ship Thru section-(VAZ) Ship Thru Bush Specialty Vehicles Wilmington OH, updated Dealer Invoice to \$1,186.21.
- SEO/Ship Thru section-(VCC) Ship Thru Utilimaster Charlotte MI, updated Dealer Invoice to \$1,192.88.
- SEO/Ship Thru section-(VDV) Ship Thru Grounded RV, Detroit MI, updated Dealer Invoice to \$931.84.

Week of 4/14/2025

Effective 4/14/2025, the following changes will be made to the Vehicle Order Guide:

• Mechanical section-(KV7) Power offboarding, updated bold description to now read "Offboarding Power".

Week of 4/7/2025

Effective 4/7/2025, the following changes will be made to the Vehicle Order Guide:

- Interior section-OnStar Basics, updated footnote 1 by adding "Requires (UE1) OnStar." to the beginning of the footnote.
- Mechanical section-Added (PCZ) Standard EV Charging Installation. It is "A" on all equipment groups.
- SEO/Ship Thru section-Added (VAM) Ship Thru Holman Roanoke IN (Dealer Invoice = W/A). It is "A" on all equipment groups.

• SEO/Ship Thru section-Added (VAZ) Ship Thru Bush Specialty Vehicles Wilmington OH (Dealer Invoice = W/A). It is "A" on all equipment groups.

• SEO/Ship Thru section-Added (VCC) Ship Thru Utilimaster Charlotte MI (Dealer Invoice = W/A). It is "A" on all equipment groups.

• SEO/Ship Thru section-Added (VDV) Ship Thru Grounded RV, Detroit MI (Dealer Invoice = W/A). It is "A" on

all equipment groups.

Week of 3/10/2025

Effective 3/10/2025, the following changes will be made to the Vehicle Order Guide:

• OnStar Fleet section-(R8G) 12 Months OnStar One Fleet, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with RFH, R8P, R8Z, R8W, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

• OnStar Fleet section-(RFH) 24 Months OnStar One Fleet, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, R8P, R8Z, R8W, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

• OnStar Fleet section-(R8P) 36 Months OnStar One Fleet, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, RFH, R8Z, R8W, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

• OnStar Fleet section-(R8Z) 48 Months OnStar One Fleet, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, RFH, R8P, R8W, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

• OnStar Fleet section-(R8W) 60 Months OnStar One Fleet, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with R8G, RFH, R8P, R8Z, P0U, P0J, P0K, P0L, P0Q, P0V, P0W, P0X, P0Y, P0Z, P0H, P0I, PQG, PQH or PQI. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

• OnStar Fleet section-(P0H) 12 Months OnStar Connect Plus, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0I, PQG, PQH, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

OnStar Fleet section-(P0I) 24 Months OnStar Connect Plus, updated footnote 1 to now read "Requires (UE1)
 OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS,
 FNR, FRC, FBC, FGO or FEF. Not available with P0H, PQG, PQH, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

• OnStar Fleet section-(PQG) 36 Months OnStar Connect Plus, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0H, P0I, PQH, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

• OnStar Fleet section-(PQH) 48 Months OnStar Connect Plus, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0H, P0I, PQG, PQI, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."

Week of 3/10/2025

Effective 3/10/2025, the following changes will be made to the Vehicle Order Guide:

• OnStar Fleet section-(PQI) 60 Months OnStar Connect Plus, updated footnote 1 to now read "Requires (UE1) OnStar and (VV4) Wi-Fi Hotspot capable. Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Not available with P0H, P0I, PQG, PQH, R8G, RFH, R8P, R8Z or R8W. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands."