

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Model.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
	C68	Air conditioning , automatic climate control	S	S	S	S
	AYP	Airbags , frontal for driver; roof-rail and side-impact for driver and passenger	S	S	S	S
	URL	11.3" diagonal advanced color LCD display with Google Built-In compatibility including navigation capability, connected apps, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones	S	S	S	S
	U95	Audio system feature , 2-speaker system	S	S	S	S
	UBJ	USB ports , 2, one type-A and one type-C, located within the instrument panel	S	S	S	S
	UKI	Blind Zone Steering Assist	S	S	S	S
	T8Z	Buckle to Drive , prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off through the vehicle infotainment screen	S	S	S	S
	AYW	Bulkhead door , manual open/close	S	S	S	S
		Cargo tie downs , 6, fixed, rated at 1,000 lbs (453.59 kg) each 1 - Number of cargo tie downs changes to 5 when (ZHR) spare tire is ordered.	S ¹	S ¹	--	--
		Cargo tie downs , 8, fixed, rated at 1,000 lbs (453.59 kg) each	--	--	S	S
	U80	Compass , digital	S	S	S	S
	KSG	Adaptive Cruise Control	S	S	S	S
		Cup holders , 2 on driver side, 1 on curbside	S	S	S	S
		Delivery Mode , a feature that automates repetitive tasks for the driver to speed package delivery. Features include turning on cabin lighting, unlocking doors, automating bulkhead door and curbside doors (if equipped with power package) and sounding the horn when vehicle is shifted out of park.	S	S	S	S
		Door locks , power	S	S	S	S
	URF	Driver Information Center , 11" diagonal display	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
	VS6	Fire extinguisher, 1.5 kg with mount	S	S	S	S
	VS1	First aid kit	S	S	S	S
		Floor covering, front cabin area, all-weather durable	S	S	S	S
	BG3	Floor covering, cargo area, composite, anti-slip, high-durability	S	S	S	S
	UE4	Following Distance Indicator	S	S	S	S
	UEU	Forward Collision Alert	S	S	S	S
	NAM	Google Automotive Services capable	S	S	S	S
	5H1	Key system, 2 additional key fobs	S	S	S	S
	UHX	Lane Keep Assist with Lane Departure Warning	S	S	S	S
		LED lighting, 2, motion-sensing, cargo area	S	S	S	S
	UIT	LED Reflective Windshield Collision Alert	S	S	S	S
	UE1	OnStar services capable 1 - See onstar.com for details and limitations. Services vary by model. Service plan required.	S ¹	S ¹	S ¹	S ¹
	VV4	Wi-Fi Hotspot capable 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S ¹	S ¹	S ¹
	U5G	NEW! 5G vehicle connectivity 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S ¹	S ¹	S ¹
		OnStar Fleet Basics for Fleet Drive confidently with core OnStar services including select remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. 1 - OnStar Fleet Basics for Fleet includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.	S ¹	S ¹	S ¹	S ¹
	UFA	Outside temperature display, located in the infotainment display	S	S	S	S
		Pedestrian safety signal, automated external sound generator at low speeds alerts pedestrians of vehicle presence in the front and rear of the vehicle	S	S	S	S
		Push Button Start	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
	KH8	Power outlet , auxiliary, 12-volt	S	S	S	S
	KI4	Power outlets , two, 110-volt, located in upper instrument panel bin and on cargo area bulkhead wall	S	S	S	S
	UV2	HD Surround Vision	S	S	S	S
	PZ8	Step Bumper View	S	S	S	S
	ATH	Remote Keyless Entry	S	S	S	S
		Remote panic alarm	S	S	S	S
	BTV	Remote vehicle starter system	S	S	S	S
	HS1	Safety Alert Seat	S	S	S	S
	A50	Seat , front bucket, driver with 2-way headrest	S	S	S	S
	ASP	Seat , front passenger jump	S	S	S	S
	KAG	Seat , heated driver cushion and seatback	S	S	S	S
	A2U	Seat adjuster , driver 6-way manual	S	S	S	S
	A70	Seat belt , driver, 3-point	S	S	S	S
	AIA	Seat belt , front passenger jump seat, 3-point	S	S	S	S
	AEO	Seat belt pretensioner , driver	S	S	S	S
	379	Seat belt color , Orange	S	S	S	S
	ASV	Sensor , humidity and windshield temperature	S	S	S	S
	FSE	Spare fuse kit	S	S	S	S
		Steering column , manual tilt and telescoping	S	S	S	S
	N5W	Steering wheel , urethane	S	S	S	S
	KI3	Steering wheel , heated	S	S	S	S
		Storage bins , upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbside	S	S	S	S
		Storage , overhead console	S	S	S	S
		Storage tray , instrument panel	S	S	S	S
	UTJ	Theft deterrent system , unauthorized entry	S	S	S	S
	UTV	Theft deterrent sensor , cargo area interior movement	S	S	S	S
	UTU	Theft deterrent sensor , vehicle inclination	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
	UJN	Tire Pressure Monitor System , auto learn, includes Tire Fill Alert and Tire Leak Detection (does not apply to spare tire, if equipped)	S	S	S	S
	UVX	Traffic Sign Recognition 1 - Requires applicable active data plan for full functionality.	S ¹	S ¹	S ¹	S ¹
	9L7	Upfitter wiring provisions , includes two 30-amp relay controlled circuits	S	S	S	S
	VHM	Vehicle health management , provides advanced warning of vehicle issues	S	S	S	S
	WLD	Windows , remote express-down	S	S	S	S
	D5W	Cargo door , roll-up, rear	S	S	S	S
		Charge port lighting with charge indicator	S	S	S	S
		Doors , White-painted driver and passenger 1 - Replaced by Black-painted doors when (R6V) Black-painted driver and passenger doors is ordered.	S ¹	S ¹	S ¹	S ¹
	T83	Headlamp control , automatic on and off	S	S	S	S
		Headlamps , LED with daytime running lamps and turn signals	S	S	S	S
	TQ5	IntelliBeam , auto high beam	S	S	S	S
	U05	Horn , dual-note	S	S	S	S
	UF2	Lamp , exterior, overhead cargo door task light	S	S	S	S
		Lamp , front, Smoked Amber roof marker, LED	S	S	S	S
		Lamp , rear, Red, roof marker, LED	S	S	S	S
	VK3	License plate front mounting package	S	S	S	S
	DFC	Mirrors , outside, heated, power-adjustable, manual-folding with puddle lamps	S	S	S	S
	UD5	Front and Rear Park Assist	S	S	S	S
		Rear hold bars , integrated	S	S	S	S
		Rear step bumper	S	S	S	S
	TD1	Safety reflector triangle kit , set of 3	S	S	S	S
	VH4	Splash guards , rear	S	S	S	S
		Taillamps , LED	S	S	S	S
	KTI	Tire inflator kit 1 - Deleted when (ZHR) spare tire is ordered.	S ¹	S ¹	S ¹	S ¹
		Tires , LT245/75R17E all-season, blackwall	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
	RSF	Wheels , 17" (43.2 cm) steel, White-painted	S	S	S	S
		Washer system , washer level sensor	S	S	S	S
	CE1	Wipers , front intermittent, Rainsense	S	S	S	S
		Auto Vehicle Hold	S	S	S	S
	ETC	Battery , Ultium, Standard Range (GM-estimated city/highway combined range up-to 166 miles)	S	S	S	S
	K4F	Battery , 12-volt with rundown protection, 800 cold-cranking amps with 80 amp-hour rating	S	S	S	S
	J77	Brake , electronic parking	S	S	S	S
	JSV	Brakes , 17" front and rear sliding caliper disc with 4-wheel antilock braking	S	S	S	S
	UGN	Enhanced Automatic Emergency Braking	S	S	S	S
	UKT	NEW! Front Pedestrian and Bicyclist Braking	S	S	S	S
	CTB	NEW! Intersection Automatic Emergency Braking	S	S	S	S
	UFB	Rear Cross Traffic Braking	S	S	S	S
	UVZ	Reverse Automatic Braking	S	S	S	S
		Regenerative braking	S	S	S	S
	K28	Charging module , 11.5 kW high-voltage	S	S	S	S
		DC fast charging , 400 volt, up to 120 kW	S	S	S	S
	FWD	Chassis drive line , Front Wheel Drive (FWD)	S	--	S	--
	XFD	Chassis drive line , All-Wheel Drive (AWD), electric front	--	S	--	S
	P81	Drive unit , front, primary, one motor, integrated inverter	S	--	S	--
	P8N	Drive unit , rear, secondary, one motor, integrated inverter, no park	--	S	--	S
	S80	Drive unit , front, primary, one motor, integrated inverter, open differential, park system	--	S	--	S
	EPH	Electronic Precision Shift , electronic transmission range selector	S	S	S	S
	NF6	Emission system zero emission vehicle (ZEV)	S	S	S	S
		Final drive ratio , 15.41:1 (X81F) front axle	S	--	S	--
		Final drive ratio , 13.26:1 (X80F) front axle and 11.63:1 (X77R) rear axle	--	S	--	S
	C5F	GVWR , 9990 lbs. (4531 kg)	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
		One Pedal Driving	S	S	S	S
		StabiliTrak , stability control system with Traction Control and Hill Start Assist	S	S	S	S
		Steering , power, electric-assisted	S	S	S	S
	XRM	Ultium Drive System , eFWD (Electronic FWD), 1 motor (electric drive unit) 240 hp (180 kW) and 300 lb-ft (405 Nm) of torque	S	--	S	--
	XRJ	Ultium Drive System , eAWD (Electronic AWD), 2 motors (1 front and 1 rear electric drive unit) 300 hp (225 kW) and 390 lb-ft (530 Nm) of torque	--	S	--	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
PCP		Power Door Package , includes (BHD) power open/close bulkhead door and (YG2) power passenger door	A	A	A	A
	C68	Air conditioning , automatic climate control	S	S	S	S
	AYP	Airbags , frontal for driver; roof-rail and side-impact for driver and passenger	S	S	S	S
	URL	11.3" diagonal advanced color LCD display with Google Built-In compatibility including navigation capability, connected apps, Natural Voice Recognition and Phone Integration for Wireless Apple CarPlay/Wireless Android Auto for compatible phones	S	S	S	S
	U95	Audio system feature , 2-speaker system	S	S	S	S
	UBJ	USB ports , 2, one type-A and one type-C, located within the instrument panel	S	S	S	S
	UKI	Blind Zone Steering Assist	S	S	S	S
	T8Z	Buckle to Drive , prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off through the vehicle infotainment screen	S	S	S	S
	AYW	Bulkhead door , manual open/close	S	S	S	S
	BHD	Bulkhead door , power open/close 1 - Included and only available with (PCP) Power Door Package.	A ¹	A ¹	A ¹	A ¹
		Cargo tie downs , 6, fixed, rated at 1,000 lbs (453.59 kg) each 1 - Number of cargo tie downs changes to 5 when (ZHR) spare tire is ordered.	S ¹	S ¹	--	--
		Cargo tie downs , 8, fixed, rated at 1,000 lbs (453.59 kg) each	--	--	S	S
	U80	Compass , digital	S	S	S	S
	KSG	Adaptive Cruise Control	S	S	S	S
		Cup holders , 2 on driver side, 1 on curbside	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
		Delivery Mode , a feature that automates repetitive tasks for the driver to speed package delivery. Features include turning on cabin lighting, unlocking doors, automating bulkhead door and curbside doors (if equipped with power package) and sounding the horn when vehicle is shifted out of park.	S	S	S	S
		Door locks , power	S	S	S	S
	URF	Driver Information Center , 11" diagonal display	S	S	S	S
	VS6	Fire extinguisher , 1.5 kg with mount	S	S	S	S
	VS1	First aid kit	S	S	S	S
		Floor covering , front cabin area, all-weather durable	S	S	S	S
	BG3	Floor covering , cargo area, composite, anti-slip, high-durability	S	S	S	S
	UE4	Following Distance Indicator	S	S	S	S
	UEU	Forward Collision Alert	S	S	S	S
	NAM	Google Automotive Services capable	S	S	S	S
	5H1	Key system , 2 additional key fobs	S	S	S	S
	UHX	Lane Keep Assist with Lane Departure Warning	S	S	S	S
		LED lighting , 2, motion-sensing, cargo area	S	S	S	S
	UIT	LED Reflective Windshield Collision Alert	S	S	S	S
	UE1	OnStar services capable 1 - See onstar.com for details and limitations. Services vary by model. Service plan required.	S ¹	S ¹	S ¹	S ¹
	VV4	Wi-Fi Hotspot capable 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S ¹	S ¹	S ¹
	U5G	NEW! 5G vehicle connectivity 1 - Terms and limitations apply. See onstar.com or dealer for details.	S ¹	S ¹	S ¹	S ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
		OnStar Fleet Basics for Fleet Drive confidently with core OnStar services including select remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. 1 - OnStar Fleet Basics for Fleet includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.	S ¹	S ¹	S ¹	S ¹
	UFA	Outside temperature display , located in the infotainment display	S	S	S	S
		Pedestrian safety signal , automated external sound generator at low speeds alerts pedestrians of vehicle presence in the front and rear of the vehicle	S	S	S	S
		Push Button Start	S	S	S	S
	KH8	Power outlet , auxiliary, 12-volt	S	S	S	S
	KI4	Power outlets , two, 110-volt, located in upper instrument panel bin and on cargo area bulkhead wall	S	S	S	S
	UV2	HD Surround Vision	S	S	S	S
	PZ8	Step Bumper View	S	S	S	S
	ATH	Remote Keyless Entry	S	S	S	S
		Remote panic alarm	S	S	S	S
	BTV	Remote vehicle starter system	S	S	S	S
	HS1	Safety Alert Seat	S	S	S	S
	A50	Seat , front bucket, driver with 2-way headrest	S	S	S	S
	ASP	Seat , front passenger jump	S	S	S	S
	KAG	Seat , heated driver cushion and seatback	S	S	S	S
	A2U	Seat adjuster , driver 6-way manual	S	S	S	S
	A70	Seat belt , driver, 3-point	S	S	S	S
	AIA	Seat belt , front passenger jump seat, 3-point	S	S	S	S
	AEO	Seat belt pretensioner , driver	S	S	S	S
	379	Seat belt color , Orange	S	S	S	S
	ASV	Sensor , humidity and windshield temperature	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
	FSE	Spare fuse kit	S	S	S	S
		Steering column , manual tilt and telescoping	S	S	S	S
	N5W	Steering wheel , urethane	S	S	S	S
	KI3	Steering wheel , heated	S	S	S	S
		Storage bins , upper instrument panel on driver side, upper instrument panel on curbside, lower floor area on curbside	S	S	S	S
		Storage , overhead console	S	S	S	S
		Storage tray , instrument panel	S	S	S	S
	UTJ	Theft deterrent system , unauthorized entry	S	S	S	S
	UTV	Theft deterrent sensor , cargo area interior movement	S	S	S	S
	UTU	Theft deterrent sensor , vehicle inclination	S	S	S	S
	UJN	Tire Pressure Monitor System , auto learn, includes Tire Fill Alert and Tire Leak Detection (does not apply to spare tire, if equipped)	S	S	S	S
	UVX	Traffic Sign Recognition 1 - Requires applicable active data plan for full functionality.	S ¹	S ¹	S ¹	S ¹
	9L7	Upfitter wiring provisions , includes two 30-amp relay controlled circuits	S	S	S	S
	VHM	Vehicle health management , provides advanced warning of vehicle issues	S	S	S	S
	WLD	Windows , remote express-down	S	S	S	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
	D5W	Cargo door , roll-up, rear	S	S	S	S
		Charge port lighting with charge indicator	S	S	S	S
	YG2	Door , power passenger 1 - Included and only available with (PCP) Power Door Package.	A ¹	A ¹	A ¹	A ¹
		Doors , White-painted driver and passenger 1 - Replaced by Black-painted doors when (R6V) Black-painted driver and passenger doors is ordered.	S ¹	S ¹	S ¹	S ¹
R6V		Doors , Black-painted driver and passenger 1 - No longer available.	A ¹	A ¹	A ¹	A ¹
	T83	Headlamp control , automatic on and off	S	S	S	S
		Headlamps , LED with daytime running lamps and turn signals	S	S	S	S
	TQ5	IntelliBeam , auto high beam	S	S	S	S
	U05	Horn , dual-note	S	S	S	S
	UF2	Lamp , exterior, overhead cargo door task light	S	S	S	S
		Lamp , front, Smoked Amber roof marker, LED	S	S	S	S
		Lamp , rear, Red, roof marker, LED	S	S	S	S
	VK3	License plate front mounting package	S	S	S	S
	Q8E	Mechanical jack with tools 1 - Included and only available with (ZHR) spare tire.	A ¹	A ¹	A ¹	A ¹
	DFC	Mirrors , outside, heated, power-adjustable, manual-folding with puddle lamps	S	S	S	S
	UD5	Front and Rear Park Assist	S	S	S	S
		Rear hold bars , integrated	S	S	S	S
		Rear step bumper	S	S	S	S
CC4		Roof , cargo area, translucent	A	A	A	A
	TD1	Safety reflector triangle kit , set of 3	S	S	S	S
	VH4	Splash guards , rear	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
		Taillamps, LED	S	S	S	S
	KTI	Tire inflator kit 1 - Deleted when (ZHR) spare tire is ordered.	S ¹	S ¹	S ¹	S ¹
ZHR		Tire, spare LT245/75R17E all-season, blackwall 1 - Includes (Q8E) mechanical jack with tools and (RUF) 17" White-painted steel spare wheel. Or includes (Q8E) mechanical jack with tools and (NZ4) 17" Black-painted spare wheel when (PYN) 17" Black-painted steel wheels is ordered.	A ¹	A ¹	A ¹	A ¹
		Tires, LT245/75R17E all-season, blackwall	S	S	S	S
	RUF	Wheel, 17" (43.2 cm) steel spare, White-painted 1 - Included and only available with (ZHR) spare tire.	A ¹	A ¹	A ¹	A ¹
	NZ4	Wheel, 17" (43.2 cm) steel spare, Black-painted 1 - Included and only available with (ZHR) spare tire when (PYN) 17" Black-painted steel wheels is ordered.	A ¹	A ¹	A ¹	A ¹
	RSF	Wheels, 17" (43.2 cm) steel, White-painted	S	S	S	S
PYN		Wheels, 17" (43.2 cm) steel, Black-painted 1 - Includes (NZ4) 17" Black-painted spare wheel when (ZHR) spare tire is ordered.	A ¹	A ¹	A ¹	A ¹
		Washer system, washer level sensor	S	S	S	S
	CE1	Wipers, front intermittent, Rainsense	S	S	S	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■= Included in Equipment Group □= Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
		Auto Vehicle Hold	S	S	S	S
	ETC	Battery , Ultium, Standard Range (GM-estimated city/highway combined range up-to 166 miles)	S	S	S	S
	ETJ	Battery , Ultium, Max Range (GM-estimated city/highway combined range up-to 272 miles)	--	A	--	A
	K4F	Battery , 12-volt with rundown protection, 800 cold-cranking amps with 80 amp-hour rating	S	S	S	S
	J77	Brake , electronic parking	S	S	S	S
	JSV	Brakes , 17" front and rear sliding caliper disc with 4-wheel antilock braking	S	S	S	S
	UGN	Enhanced Automatic Emergency Braking	S	S	S	S
	UKT	NEW! Front Pedestrian and Bicyclist Braking	S	S	S	S
	CTB	NEW! Intersection Automatic Emergency Braking	S	S	S	S
	UFB	Rear Cross Traffic Braking	S	S	S	S
	UVZ	Reverse Automatic Braking	S	S	S	S
		Regenerative braking	S	S	S	S
	K28	Charging module , 11.5 kW high-voltage	S	S	S	S
	K2O	Charging module , 19.2 kW high-voltage	A	A	A	A
		DC fast charging , 400 volt, up to 120 kW	S	S	S	S
	FWD	Chassis drive line , Front Wheel Drive (FWD)	S	--	S	--
	XFD	Chassis drive line , All-Wheel Drive (AWD), electric front	--	S	--	S
	P81	Drive unit , front, primary, one motor, integrated inverter	S	--	S	--
	P8N	Drive unit , rear, secondary, one motor, integrated inverter, no park	--	S	--	S
	S80	Drive unit , front, primary, one motor, integrated inverter, open differential, park system	--	S	--	S
	EPH	Electronic Precision Shift , electronic transmission range selector	S	S	S	S
	NF6	Emission system zero emission vehicle (ZEV)	S	S	S	S

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
FE9		Emissions , Federal requirements	A	A	A	A
NE1		Emissions , Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	A	A	A	A
YF5		Emissions , California state requirements	A	A	A	A
NB8		Emissions override , California (allows a dealer in states that require California emissions - California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington - to order Federal emissions for a vehicle that will be registered in a state that has Federal emission requirements). Do not use for vehicles that will be registered in California, Connecticut, Delaware, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island or Washington. 1 - Requires (FE9) Federal emissions requirements. Not available in Maine or Vermont.	A ¹	A ¹	A ¹	A ¹
NB9		Emissions override , state-specific (for dealers ordering vehicles in (YF5) or (NE1) emission states - California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington) 1 - Allows a California dealer (YF5 emissions) to order (NE1) emissions with (NB9) emissions override code for registration in (NE1) states; or, a Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington dealer (NE1 emissions) to order (YF5) emissions with (NB9) emissions override code for registration in California.	A ¹	A ¹	A ¹	A ¹
NC7		Emissions override , Federal (for vehicles ordered by dealers in Federal emission states with (YF5) or (NE1) emissions - Not required for vehicles being shipped to California, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington) 1 - Requires (YF5) California state emissions requirements or (NE1) Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont or Washington state emissions requirements.	A ¹	A ¹	A ¹	A ¹
		Final drive ratio , 15.41:1 (X81F) front axle	S	--	S	--
		Final drive ratio , 13.26:1 (X80F) front axle and 11.63:1 (X77R) rear axle	--	S	--	S
R7D		GM Envolv EV Starter Kit I 1 - Requires one of the following Fleet or Government order types: FLS, FNR, FRC, FBC, FGO or FEF. Requires one of the following OnStar Insights services: (P0V) 12 Months, (P0W) 24 Months, (P0X) 36 Months, (P0Y) 48 Months, or (P0Z) 60 Months. Not available with a ship-to of Guam, Puerto Rico or the Virgin Islands.	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
KYR		Governor , vehicle speed sensor, 65 MPH (104.6 kph) 1 - Not available with (KYW) 75 MPH governor.	A	A ¹	A	A ¹
KYW		Governor , vehicle speed sensor, 75 MPH (120.7 kph) 1 - Not available with (KYR) 65 MPH governor.	--	A ¹	--	A ¹
	C5F	GVWR , 9990 lbs. (4531 kg)	S	S	S	S
	C7E	GVWR , 11,000 lbs. (4990 kg)	A	A	A	A
		One Pedal Driving	S	S	S	S
		StabiliTrak , stability control system with Traction Control and Hill Start Assist	S	S	S	S
		Steering , power, electric-assisted	S	S	S	S
	XRJ	Ultium Drive System , eFWD (Electronic FWD), 1 motor (electric drive unit) 240 hp (180 kW) and 300 lb-ft (405 Nm) of torque	S	--	S	--
	XRJ	Ultium Drive System , eAWD (Electronic AWD), 2 motors (1 front and 1 rear electric drive unit) 300 hp (225 kW) and 390 lb-ft (530 Nm) of torque	--	S	--	S

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available
 ■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable
 * Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Decor Level	Seat Type	Seat Code	Seat Trim	Interior
				Jet Black
BrightDrop 400 and BrightDrop 600	Front bucket, driver; front passenger jump seat	A50	Cloth	HBA

Exterior Solid Paint	Color Code	Touch Up Paint Number	Interior
			Jet Black
Oyster White ¹	GRO	WA-673G	A

1 - Includes White-painted body with White-painted doors unless (R6V) Black-painted driver and passenger doors is ordered.

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable

* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Model.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
		Ship Thru Codes				
VTJ		Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Toledo, OH (Dealer Invoice = \$300.00)	A	A	A	A
VSQ		Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Wentzville, MO (Dealer Invoice = \$300.00)	A	A	A	A
V2Q		Ship Thru, Produced in Ingersoll, Ontario and shipped to Utilimaster, Kansas City, MO (Dealer Invoice = \$300.00)	A	A	A	A
		Ship To Codes				
PCY		Ship To, EV Fulfillment Center Courtesy Delivery, final destination shipped to Jurupa Valley, CA (Dealer Invoice = \$300.00)	A	A	A	A

S = Standard Equipment A = Available --(dashes) = Not Available D = ADI Available

■ = Included in Equipment Group □ = Included in Equipment Group but upgradeable


* Indicates availability of feature on multiple models. For example, it indicates feature availability on 2WD and 4WD Models or Rear wheel drive and All-wheel drive Models.

Codes listed in the shaded column titled Ref. Only RPO Code are for internal use only and should not be ordered.

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
P0V		OnStar Insights - 12 Months of Service Includes up to 12 months of OnStar Insights service. OnStar Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at www.onstarvehicleinsights.com in order to take advantage of this 12 months offer. Requires an active connected vehicle services plan. The OnStar Insights service is included in the price of the vehicle. Total service duration is 12 months. Non-Transferrable. Non-Refundable. 1 - Requires (UE1) OnStar. Not available with P0W, P0X, P0Y, P0Z.	A ¹	A ¹	A ¹	A ¹
P0W		OnStar Insights - 24 Months of Service Includes up to 24 months of OnStar Insights service. OnStar Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at www.onstarvehicleinsights.com in order to take advantage of this 24 months offer. Requires an active connected vehicle services plan. The OnStar Insights service is included in the price of the vehicle. Total service duration is 24 months. Non-Transferrable. Non-Refundable. 1 - Requires (UE1) OnStar. Not available with P0V, P0X, P0Y, P0Z.	A ¹	A ¹	A ¹	A ¹
P0X		OnStar Insights - 36 Months of Service Includes up to 36 months of OnStar Insights service. OnStar Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at www.onstarvehicleinsights.com in order to take advantage of this 36 months offer. Requires an active connected vehicle services plan. The OnStar Insights service is included in the price of the vehicle. Total service duration is 36 months. Non-Transferrable. Non-Refundable. 1 - Requires (UE1) OnStar. Not available with P0V, P0W, P0Y, P0Z.	A ¹	A ¹	A ¹	A ¹

Free Flow RPO Code	Ref. Only RPO Code	Description	BrightDrop 400 FWD CJ32705	BrightDrop 400 AWD CM32705	BrightDrop 600 FWD CJ32905	BrightDrop 600 AWD CM32905
			EJZ	EJY	EJZ	EJY
P0Y		OnStar Insights - 48 Months of Service Includes up to 48 months of OnStar Insights service. OnStar Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at www.onstarvehicleinsights.com in order to take advantage of this 48 months offer. Requires an active connected vehicle services plan. The OnStar Insights service is included in the price of the vehicle. Total service duration is 48 months. Non-Transferrable. Non-Refundable. 1 - Requires (UE1) OnStar. Not available with P0V, P0W, P0X, P0Z.	A ¹	A ¹	A ¹	A ¹
P0Z		OnStar Insights - 60 Months of Service Includes up to 60 months of OnStar Insights service. OnStar Insights provides fleet managers and drivers the tools and data they need to help maximize fleet productivity and help maximize fleet's operational efficiencies. OnStar Insights relays real-time vehicle data like vehicle location, driver performance information and more. Eligible customers must sign up for an account at www.onstarvehicleinsights.com in order to take advantage of this 60 months offer. Requires an active connected vehicle services plan. The OnStar Insights service is included in the price of the vehicle. Total service duration is 60 months. Non-Transferrable. Non-Refundable. 1 - Requires (UE1) OnStar. Not available with P0V, P0W, P0X, P0Y.	A ¹	A ¹	A ¹	A ¹

All dimensions in inches (mm) unless otherwise stated.


	Specifications		CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWD
		A	Wheelbase	153 (3890)
B		Overall length	238.61 (6061)	238.61 (6061)
C		Vehicle width (with mirrors)	106.2 (2697)	106.2 (2697)
		Vehicle width (without mirrors) includes exterior curbside step extension	89.4 (2271)	89.4 (2271)
D		Overall height	109.2 (2774)	109.15 (2772)
		Overall height with shark fin antenna	109.3 (2776)	109.3 (2776)
		Overall height with mast antenna	117.69 (2989)	117.65 (2988)
		Ground clearance	7 (178)	6.98 (177)
		Overhang, front	33.99 (863)	33.99 (863)
		Overhang, rear	51.5 (1308)	51.5 (1308)
		Internal cargo area length	117.51 (2985)	117.51 (2985)
		Internal cargo area width, wall to wall	83.68 (2125)	83.68 (2125)
		Internal cargo area width, between wheel housing	54.71 (1390)	54.71 (1390)
		Internal cargo area height with door closed	82 (2083)	82 (2083)
		Internal cargo area height with door open	76 (1930)	76 (1930)
		Bulkhead access with door open (width)	28.21 (717)	28.21 (717)
		Bulkhead access with door open (height)	75.81 (1926)	75.81 (1926)
		Rear cargo access with door open (width)	57.57 (1462)	57.57 (1462)
		Rear cargo access with door open (height)	73.44 (1865)	73.44 (1865)
		Curbside door opening width	36.67 (931)	36.67 (931)

All dimensions in inches (mm) unless otherwise stated.

	Specifications	CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWD
	Curbside step, height to ground	15.57 (395)	15.5 (394)
	Curbside step, depth, with exterior step	10.05 (255)	10.05 (255)
	Cargo floor , height to ground	27.18 (690)	27.1 (688)
	Rear step bumper, height to ground	18.6 (472)	18.48 (469)
	Charge port, height to ground	35.81 (910)	35.76 (908)
	Charge port. distance to end of step bumper	28.61 (727)	28.61 (727)

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

All dimensions in inches (mm) unless otherwise stated.

	Specifications		CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWD
		A	Wheelbase	183 (4660)
B		Overall length	290 (7366)	290 (7366)
C		Vehicle width (with mirrors)	106.2 (2697)	106.2 (2697)
		Vehicle width (without mirrors)	86.52 (2198)	86.52 (2198)
D		Overall height	108.87 (2765)	108.79 (2763)
		Overall height with shark fin antenna	109 (2769)	109 (2769)
		Overall height with mast antenna	117.57 (2986)	117.57 (2986)
		Ground clearance	7.51 (191)	7.51 (191)
		Overhang, front	33.99 (863)	33.99 (863)
		Overhang, rear	72.57 (1843)	72.57 (1843)
		Internal cargo area length	168.9 (4290)	168.9 (4290)
		Internal cargo area width, wall to wall	83.68 (2125)	83.68 (2125)
		Internal cargo area width, between wheel housing	53.53 (1360)	53.53 (1360)
		Internal cargo area height with door closed	82 (2083)	82 (2083)
		Internal cargo area height with door open	76 (1930)	76 (1930)
		Bulkhead access with door open (width)	28.21 (717)	28.21 (717)
		Bulkhead access with door open (height)	75.81 (1926)	75.81 (1926)
		Rear cargo access with door open (width)	57.57 (1462)	57.57 (1462)
		Rear cargo access with door open (height)	73.44 (1865)	73.44 (1865)
		Curbside door opening width	36.67 (931)	36.67 (931)
	Curbside step, height to ground	15.49 (393)	15.49 (393)	

All dimensions in inches (mm) unless otherwise stated.

	Specifications	CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWD
	Curbside step, depth	12.2 (310)	12.2 (310)
	Cargo floor , height to ground	26.39 (670)	26.39 (670)
	Rear step bumper, height to ground	18.09 (459)	18.02 (458)
	Charge port, height to ground	35.29 (896)	35.22 (895)
	Charge port. distance to end of step bumper	48.9 (1242)	48.9 (1242)

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

	CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWD
Specifications		
Turning diameter, curb-to-curb, ft. (m)	46.4 (14.1)	43.9 (13.4)
Approach angle, front (degrees)	22.6	22.5
Departure angle, rear (degrees)	18.6	18.5
Capacities		
Curb weight (C5F) with (ETC) Standard Range, lbs. (kg)	7240 (3284)	7470 (3388)
Curb weight (C5F) with (ETJ) Max Range, lbs. (kg)	--	8170 (3706)
Curb weight (C7E) with (ETC) Standard Range, lbs. (kg)	7240 (3284)	7470 (3388)
Curb weight (C7E) with (ETJ) Max Range, lbs. (kg)	--	8170 (3706)
Cargo volume, cu. ft. (liters)	412.1 (11669.4)	412.1 (11669.4)
Payload (C5F) with (ETC) Standard Range, lbs. (kg)	2690 (1220)	2460 (1116)
Payload (C5F) with (ETJ) Max Range, lbs. (kg)	--	1770 (803)
Payload, Minimum, with all optional equipment (C5F) with (ETC) Standard Range, lbs. (kg)	2510 (1139)	2280 (1034)
Payload, Minimum, with all optional equipment (C5F) with (ETJ) Max Range, lbs. (kg)	--	1560 (708)
Payload (C7E) with (ETC) Standard Range, lbs. (kg)	3710 (1683)	3480 (1579)
Payload (C7E) with (ETJ) Max Range, lbs. (kg)	--	2780 (1261)
Payload, Minimum, with all optional equipment (C7E) with (ETC) Standard Range, lbs. (kg)	3520 (1597)	3290 (1492)
Payload, Minimum, with all optional equipment (C7E) with (ETJ) Max Range, lbs. (kg)	--	2570 (1166)
Gross Vehicle Weight Rating (GVWR) (C5F), lbs. (kg)	9990 (4531)	9990 (4531)
Gross Vehicle Weight Rating (GVWR) (C7E), lbs. (kg)	11000 (4990)	11000 (4990)
Front Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5291 (2400)	5291 (2400)
Front Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	5291 (2400)	5291 (2400)

	CJ32705 BrightDrop 400 FWD	CM32705 BrightDrop 400 AWD
Rear Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5732 (2600)	5732 (2600)
Rear Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	6172 (2800)	6172 (2800)

	CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWD
Specifications		
Turning diameter, curb-to-curb, ft. (m)	54.8 (16.7)	51.5 (15.7)
Approach angle, front (degrees)	23.1	23.2
Departure angle, rear (degrees)	12.6	12.6
Capacities		
Curb weight (C5F) with (ETC) Standard Range, lbs. (kg)	7590 (3443)	7820 (3547)
Curb weight (C5F) with (ETJ) Max Range, lbs. (kg)	--	8520 (3865)
Curb weight (C7E) with (ETC) Standard Range, lbs. (kg)	7590 (3443)	7820 (3547)
Curb weight (C7E) with (ETJ) Max Range, lbs. (kg)	--	8520 (3865)
Cargo volume, cu. ft. (liters)	614.7 (17406.4)	614.7 (17406.4)
Payload (C5F) with (ETC) Standard Range, lbs. (kg)	2340 (1061)	2110 (957)
Payload (C5F) with (ETJ) Max Range, lbs. (kg)	--	1420 (644)
Payload, Minimum, with all optional equipment (C5F) with (ETC) Standard Range, lbs. (kg)	2190 (993)	1970 (894)
Payload, Minimum, with all optional equipment (C5F) with (ETJ) Max Range, lbs. (kg)	--	1250 (567)
Payload (C7E) with (ETC) Standard Range, lbs. (kg)	3350 (1520)	3130 (1420)
Payload (C7E) with (ETJ) Max Range, lbs. (kg)	--	2430 (1102)
Payload, Minimum, with all optional equipment (C7E) with (ETC) Standard Range, lbs. (kg)	3200 (1452)	2980 (1352)
Payload, Minimum, with all optional equipment (C7E) with (ETJ) Max Range, lbs. (kg)	--	2260 (1025)
Gross Vehicle Weight Rating (GVWR) (C5F), lbs. (kg)	9990 (4531)	9990 (4531)
Gross Vehicle Weight Rating (GVWR) (C7E), lbs. (kg)	11000 (4990)	11000 (4990)
Front Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5291 (2400)	5291 (2400)
Front Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	5291 (2400)	5291 (2400)

	CJ32905 BrightDrop 600 FWD	CM32905 BrightDrop 600 AWD
Rear Gross Axle Weight Rating (GAWR) (C5F), lbs. (kg)	5732 (2600)	5732 (2600)
Rear Gross Axle Weight Rating (GAWR) (C7E), lbs. (kg)	6172 (2800)	6172 (2800)



PYN
Wheels, 17" (43.2 cm) steel, Black-painted



RSF
Wheels, 17" (43.2 cm) steel, White-painted

Option Code	Description
379	Seat belt color, Orange
5H1	Key system
9L7	Upfitter wiring provisions
A2U	Seat adjuster, driver 6-way manual
A50	Seat, front bucket
A70	Seat belt, driver
AEO	Seat belt pretensioner
AIA	Seat belt, front passenger jump seat
ASP	Seat, front passenger jump
ASV	Sensor, humidity
ATH	Remote Keyless Entry
AYP	Airbags, frontal for driver; roof-rail and side-impact for driver and passenger
AYW	Bulkhead door, manual open/close
BG3	Floor covering, cargo area, composite
BHD	Bulkhead door, power open/close
BTV	Remote vehicle starter system
C5F	GVWR, 9990 lbs. (4531 kg)
C68	Air conditioning, automatic climate control
C7E	GVWR, 11,000 lbs. (4990 kg)
CC4	Roof, cargo area
CE1	Wipers, front intermittent, Rainsense
CTB	Intersection Automatic Emergency Braking
D5W	Cargo door, roll-up, rear
DFC	Mirrors, outside, heated, power-adjustable
EPH	Electronic Precision Shift
ETC	Battery, Ultium
ETJ	Battery, Ultium
FE9	Emissions, Federal requirements
FSE	Spare fuse kit
FWD	Chassis drive line, Front Wheel Drive (FWD)
HS1	Safety Alert Seat
J77	Brake, electronic parking
JSV	Brakes, 17" front and rear sliding caliper disc
K28	Charging module, 11.5 kW high-voltage
K2O	Charging module, 19.2 kW
K4F	Battery, 12-volt with rundown protection
KAG	Seat, heated driver cushion and seatback
KH8	Power outlet, auxiliary
KI3	Steering wheel, heated
KI4	Power outlets, two, 110-volt
KSG	Adaptive Cruise Control
KTI	Tire inflator kit
KYR	Governor, vehicle speed sensor
KYW	Governor, vehicle speed sensor
N5W	Steering wheel, urethane
NAM	Google Automotive Services capable
NB8	Emissions override, California
NB9	Emissions override, state-specific

Option Code	Description
NC7	Emissions override, Federal
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements
NF6	Emission system zero emission vehicle (ZEV)
NZ4	Wheel, 17" (43.2 cm) steel spare
P0V	OnStar Insights - 12 Months of Service
P0W	OnStar Insights - 24 Months of Service
P0X	OnStar Insights - 36 Months of Service
P0Y	OnStar Insights - 48 Months of Service
P0Z	OnStar Insights - 60 Months of Service
P81	Drive unit, front
P8N	Drive unit, rear
PCP	Power Door Package
PCY	Ship To, EV Fulfillment Center Courtesy Delivery, final destination shipped to Jurupa Valley, CA
PYN	Wheels, 17" (43.2 cm) steel
PZ8	Step Bumper View
Q8E	Mechanical jack with tools
R6V	Doors, Black-painted driver and passenger
R7D	GM Envolv EV Starter Kit I
RSF	Wheels, 17" (43.2 cm) steel
RUF	Wheel, 17" (43.2 cm) steel spare
S80	Drive unit, front
T83	Headlamp control, automatic on and off
T8Z	Buckle to Drive
TD1	Safety reflector triangle kit
TQ5	IntelliBeam
U05	Horn, dual-note
U5G	5G vehicle connectivity
U80	Compass, digital
U95	Audio system feature, 2-speaker system
UBJ	USB ports, 2
UD5	Front and Rear Park Assist
UE1	OnStar services capable
UE4	Following Distance Indicator
UEU	Forward Collision Alert
UF2	Lamp, exterior
UFA	Outside temperature display
UFB	Rear Cross Traffic Braking
UGN	Enhanced Automatic Emergency Braking
UHX	Lane Keep Assist with Lane Departure Warning
UIT	LED Reflective Windshield Collision Alert
UJN	Tire Pressure Monitor System
UKI	Blind Zone Steering Assist
UKT	Front Pedestrian and Bicyclist Braking
URF	Driver Information Center, 11" diagonal display
URL	11.3" diagonal advanced color LCD display with Google Built-In
UTJ	Theft deterrent system
UTU	Theft deterrent sensor, vehicle inclination

Option Code	Description
UTV	Theft deterrent sensor, cargo area interior movement
UV2	HD Surround Vision
UVX	Traffic Sign Recognition
UVZ	Reverse Automatic Braking
V2Q	Ship Thru, Produced in Ingersoll, Ontario and shipped to Utilimaster, Kansas City, MO
VH4	Splash guards, rear
VHM	Vehicle health management
VK3	License plate front mounting package
VS1	First aid kit
VS6	Fire extinguisher, 1.5 kg
VSQ	Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Wentzville, MO
VTJ	Ship Thru, Produced in Ingersoll, Ontario and shipped to Adrian Steel, Toledo, OH
VV4	Wi-Fi Hotspot capable
WLD	Windows, remote express-down
XFD	Chassis drive line, All-Wheel Drive (AWD), electric front
XRJ	Ultium Drive System
XRМ	Ultium Drive System
YF5	Emissions, California state requirements
YG2	Door, power passenger
ZHR	Tire, spare LT245/75R17E all-season, blackwall

Updates for BrightDrop 400 and BrightDrop 600

Week of 10/21/2024

Effective 10/21/2024, the following changes will be made to the Vehicle Order Guide:

- Exterior section-Doors, White-painted driver and passenger, added a footnote 1 to all equipment groups that reads "Replaced by Black-painted doors when (R6V) Black-painted driver and passenger doors is ordered."
- Exterior section-(ZHR) Tire, spare LT245/75R17E all-season, blackwall, updated footnote 1 to now read "Includes (Q8E) mechanical jack with tools and (RUF) 17" White-painted steel spare wheel. Or includes (Q8E) mechanical jack with tools and (NZ4) 17" Black-painted spare wheel when (PYN) 17" Black-painted steel wheels is ordered."

Week of 9/9/2024

Effective 9/9/2024, the following changes will be made to the Vehicle Order Guide:

- Moved BrightDrop order guide to Chevrolet Truck division.
- Home Page-Updated vehicle name to "BrightDrop 400 and BrightDrop 600". Also updated vehicle name under image to "BrightDrop 400 shown".
- Home Page-Updated Available Models names and model numbers to now read "BrightDrop 400 FWD (CJ32705)", "BrightDrop 400 AWD (CM32705)", "BrightDrop 600 FWD (CJ32905)", and "BrightDrop 600 AWD (CM32905)".
- All sections-Updated Equipment Group column models names and model numbers to now read "BrightDrop 400 FWD CJ32705 EJZ", "BrightDrop 400 AWD CM32705 EJY", "BrightDrop 600 FWD CJ32905 EJZ", and "BrightDrop 600 AWD CM32905 EJY".
- Interior section-OnStar One Business Essentials, updated entire description to now read "OnStar Fleet Basics for Fleet Drive confidently with core OnStar services including select remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need." Also updated footnote 1 to now read "OnStar Fleet Basics for Fleet includes select remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. Fleet customers get select remote commands through OnStar Vehicle Insights. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations."
- Color and Trim section-Updated Model name to "BrightDrop 400 and BrightDrop 600".
- Dimensions section-Updated drop-down names to "BrightDrop 400" and "BrightDrop 600".
- BrightDrop 400 Dimensions section-Updated column headers to "CJ32705 BrightDrop 400 FWD", "CM32705 BrightDrop 400 AWD".
- BrightDrop 600 Dimensions section-Updated column headers to "CJ32905 BrightDrop 600 FWD", and "CM32905 BrightDrop 600 AWD".

- Specs section-Updated drop-down names to "BrightDrop 400" and "BrightDrop 600".
- BrightDrop 400 Specs section-Updated column headers to "CJ32705 BrightDrop 400 FWD", "CM32705 BrightDrop 400 AWD".
- BrightDrop 600 Specs section-Updated column headers to "CJ32905 BrightDrop 600 FWD", and "CM32905 BrightDrop 600 AWD".