

2026MY Ford E-Transit™ VEHICLE SPECIFICATIONS

[Solutions](#)
[Vehicles](#)
[Software](#)
[Service](#)
[Electrification](#)
[Financing](#)
[Resources](#)

2026 E-Transit™ Van

[← Back to Overview](#)

Starting at²
\$53,260

Seating for
2

The cargo van is powerful with a fully electric powertrain and an 89kWh battery. And versatile. It's available in two vehicle lengths and three different roof heights, to get



SYNC® 4³ With 12" Center Display

Easily connect your smartphone for a personalized driving experience. You're just a tap away from accessing your apps, checking the weather, or listening to your favorite podcast or playlist.



New Standard Vehicle Integration System 2.0

Standard on the 2026 Cutaway and Chassis Cab E-Transit models, the new Ford Pro Vehicle Integration System 2.0 makes installing or operating upfits smooth. This hardware/software solution allows upfitters to seamlessly integrate equipment on the truck.



Available 360-Degree Camera

With available front, rear, side, and top-down cameras, enjoy a clear view of your vehicle's surroundings when going under 6 mph. You can even view two angles at once with split-view display.⁴

Vehicle Features

Exterior Features

Appearance

Optional

- Front Bumper – Body Colored. Includes Front Fog Lamps
- Front Fog Lamps (included in Ford Co-Pilot 360° Assist + or 2.0 packages)
- Mirrors Long Arm - Power Adjusting Manual Folding
- Passenger Running Board. Covers the B-C Pillar Passenger-side
- Wiper Activated Headlamps
- Mirrors - Short-Arm - Power Adjusting, Power-Folding Heated with Turn Signals
- Mirrors Long Arm - Power Adjusting, Manual-Folding, Heated with Turn Signals Includes BLIS and therefore requires Ford Co-Pilot360° Assist + or Ford Co-Pilot360° Assist 2.0
- Wheel Well Liners - Black (Front only)

Standard

- Body Side Moldings – Carbon Black
- Front Bumper – Carbon Black, Body Colored with Lower Valence
- 50/50 Hinged Rear Door. 180-degree opening is standard on all low/medium- roof cargo vans
- Sliding Passenger-side Door
- Center High Mount Stop Lamp (CHMSL)
- Three-Bar Grille with Dynamic Blue Center Bars and Chrome Surround
- Step Well Pads – Black
- Roof Marker Lamp Delete
- 253-Degree Rear Door Opening. Standard on LWB/LWB-EL high roof Cargo Vans. Optional on low/medium roof
- Front License Plate Bracket
- Rear Bumper – Carbon Black, without Integral Step
- 50/50 Hinged Rear Door. 253-degree Opening is standard on all high roof cargo vans and OPTIONAL on all low/medium-roof variants
- Auto High Beam Headlamps
- Taillamps
- Rear Recovery Tow Hook
- Antenna – Fender Mounted
- Black High-Intensity Discharge (HID) Headlamps
- Mirrors - Short-Arm - Power Adjusting, Manual-Folding

Windows & Glass

Optional

- Fixed Rear Cargo Door Glass. Includes Rear-window Defroster
- Windows-All-Around, Fixed. Includes Rear-window Defroster
- Privacy Glass. Includes Rear-window Defroster.
- Fixed Rear Cargo Door Glass and Fixed 2nd row Passenger-side Glass. Includes Rear-window Defroster
- High Strength Laminated Glass. Not available on Low Roof.

Standard

- No Cargo Area Windows
- Front Solar Tinted Glass
- High-Strength Laminated Glass (Sliding Doors only)

Protection

Optional

- Keyless Entry Keypad
- Keys: 2 additional (4 total) with key fobs

Packages

Packages

Optional

- Wall Liner Kit
- Foldable Aluminum Shelving, two levels per side
- Electrician Trade Package
- General Contractor Trade Package
- Load Area Protection Package.
- Heavy-Duty Scuff Plate Kit
- Fixed Shelving, multi-level – driver side only
- Fixed Shelving, multi-level – driver and passenger sides
- HVAC Trade
- Ford Connectivity Package (One-time Purchase – 7 Years)
- Heavy-Duty Wall Liner Kit
- Parcel Delivery Package (Long and Extended Lengths only)

Standard

- Power Equipment Group (Power Locks and Windows) with Remote Keyless-Entry
- Telematics Essentials
- Ford Connectivity Package (1-year included)

Safety

Security

Optional

- Back Up Alarm
- White Noise Back Up Alarm

Standard

- SecuriLock® Passive Anti-Theft System (PATS) with engine immobilizer

Power and Handling

Wheels & Tires

Optional

- 16" Silver Aluminum Alloy Wheel. SRW
- Spare Tire and Wheel. Includes 3 ton jack, tool kit and full-size matching tire
- 16" Aluminum Alloy Wheel with Black Accents SRW
- Tire Inflator and Sealant Kit Delete

Standard

- Tires – Single Rear Wheel (SRW) 235/65R16C 121/119 R BSW all-season
- Tire Inflator and Sealant Kit
- Spare Tire and Wheel Delete
- 16" Silver Steel Wheel. Includes Silver Hubcaps with Exposed Lug Nuts (SRW)
- 16" Steel Wheel with Full Silver Wheel Cover. SRW

Handling

Standard

- Electric Power Assisted Steering (EPAS)
- Steering Wheel – Tilt and Telescoping
- Rear – Independent with coil springs, semi-trailing arm (STA) and stabilizer bar
- Steering – Power Rack and Pinion
- Front – Independent MacPherson-strut, Stabilizer Bar

Power

Optional

- Auxiliary Fuse Panel with High Spec Interface Connector
- Dual Onboard battery charger
- Modified Vehicle Wiring System
- Mobile Power Cord and Fast Charging Adapter (NACS) Bundle (120V/240V)

Standard

- Single AGM Battery – 70 amp-hr
- Parking Brake – Electric
- Top Speed Governor - 75-mph E-Transit Cargo Van.
- Electric Motor with 89kWH High-Voltage Battery
- Brakes – 4-wheel Anti-lock Disc Brakes
- Single Onboard battery charger
- Reverse Speed Limiter
- Single-Speed Transmission

Interior Features

Comfort and Convenience

Optional

- Ford Co-Pilot 360[®] Assist 2.0
- Large Grab Handles Kit (2 D-pillars). Includes high visibility, textured yellow coating
- Full Rear Compartment Lighting. Includes cargo area LED lights at C-pillar, D-pillar and mid-ship (EL-WB only). Rear Compartment LED Switch only included on Cargo Van
- Front Overhead Shelf
- Bulkhead – Window Only
- Pro Power Onboard™ — 2.4 kW
- Heavy Duty Tray Style Floor Mats (Front)
- Adaptive Cruise Control
- Blind Spot Information System (BLIS[®]) with Cross Traffic Alert
- D-Pillar Assist Handles (Driver and Passenger-side)
- Digital Rearview Mirror.
- Cargo Tie-Down Hooks (Cargo Van: 6 tie-down hooks)
- Bulkhead – Lockable Door with Window
- Floor Covering - Vinyl, Front and Rear.
- Vehicle Integration System 2.0
- All-Weather Floor Mats (Front)
- 360-Degree Camera

Standard

- Headlamp Courtesy Delay
- Medium Center Console with Integrated Rotary Gear Shift Dial and single cup holder
- Glove Box – Locking
- Floor Covering - Vinyl, Front only
- Front Dome Lamp with Map Lights and Theater Dimming
- Accessory Delay – 30 minutes
- B-Pillar Assist Handle (Passenger-side) Cargo Van - Low Roof Only
- Headliner – Cloth, Front only
- Horn – Single-note
- 5G Modem
- PowerPoint – 12V - Note: One is located in the instrument panel and one in center console
- Close Assist Feature on side sliding door. Not available on low roof. Intelligent Access with push-button start included.
- Rearview Mirror. Included with rear glass window configurations
- Intelligent Access with push-button start. Included with Close Assist.
- Pre-Collision Assist® with Automatic Emergency Braking (AEB)
- Rear View Camera
- Close Assist Feature on side sliding door. Not available on low roof. Intelligent Access with push-button start included.
- Cruise Control - Includes Adjustable Speed Limiting Device (ASLD)
- Push-Button Start
- Rearview Mirror Delete (When Equipped Without Rear Glass)
- Partial Rear Compartment Lighting (2 LED lights located at C-pillar)
- A-Pillar Assist Handles (Driver and Passenger-side)
- D-Pillar Weld Nuts
- Sun Visors
- Ford Co-Pilot360® (Cargo Van)
- 8" cluster display - Battery Level, Power Gauge and Power Availability (E-Transit)
- Automatic Rain-Sensing Windshield Wipers
- B-Pillar Assist Handle (Passenger-side). Standard on Low Roof Cargo Van
- Floor Covering - Vinyl, Front only
- Lane-Keeping System
- Post-Collision Braking

Packages

Optional

- Floor Covering - Heavy-Duty Load Floor and Scuff Plate Protection Package.

Entertainment Systems

Optional

- 6 speakers (4 front/2 rear). Rear speakers shipped in dunnage box for Cutaway only

Standard

- SYNC® 4 with 12" center display, AM/FM stereo, Bluetooth, Dual USB ports, Enhanced Voice Recognition and Connectivity Package

Seating

Optional

- Dark Palazzo Gray Cloth, 2-way manual Driver and 2-way manual Passenger seats
- Passenger Seat Delete Dark Palazzo Gray Cloth, 2-way manual Driver seat
- Ebony Cloth, 2-way manual Driver and 2-way manual Passenger seats without armrests
- Passenger Seat Delete Dark Palazzo Gray Vinyl, 2-way manual Driver seat.
- Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats with Driver and Passenger seat armrests

Standard

- Driver and Front-passenger Manual Reclining Bucket Seats with Adjustable Headrest
- Dark Palazzo Gray Cloth, 2-way manual Driver heated (with lumbar), 2-way manual Passenger heated seats with Driver and Passenger seat armrests
- Dark Palazzo Gray Vinyl, 2-way manual Driver and 2-way manual Passenger seats with Driver seat armrest only

Climate

Standard

- Air Conditioning - Front only



Highlights

Vehicle Highlights	
Drive Type	RWD
Available Engine	Electric Motor
Horsepower	198kW / 266 HP
Torque	198kW / 266 HP
Transmission	Single-Speed
Wheelbase 148" Cargo Van	148" (T-350 SRW, LR)
	148" (T-350 SRW, MR)
	148" (T-350 SRW, HR)
Wheelbase 148" Cargo Van - Extended	148" (T-350 SRW,HR)
Wheelbase 156" Cutaway	C/A 156" (T-350 SRW LR)
Wheelbase 156" Chassis Cab	C/C 156" (T-350 SRW LR)
Wheelbase 178" Cutaway	C/A 178" (T-350 SRW LR)
Wheelbase 178" Chassis Cab	C/C 178" (T-350 SRW LR)
Maximum Payload (Cargo)	3,320 lbs. Cargo T-350 SRW LR, 148" W/B
Maximum Payload (Cutaway)	4,201 lbs.C/A T-350 SRW LR, 156" W/B
Maximum Payload (Chassis Cab)	4,200 lbs.C/C T-350 SRW, LR, 156" W/B
Maximum GVWR (Cargo)	9,500 lbs. (T-350 SRW)
Maximum GVWR (Cutaway)	9,500 lbs. (T-350 SRW)
Maximum GVWR (Chassis Cab)	9,500 lbs. (T-350 SRW)
Warranty	Unique Electrified Components: 8 years/100,000 miles
Pro Power On Board	120V/2.4kW

Exterior

Exterior Dimensions		
Front Track	68.5	68.5
Rear Track	65.7	65.7
Cab Length	95.7	95.7
Top of Frame to Top of Cab	61.2	61.2
Front Overhang	40.3	40.3

2026 E-Transit Cargo Van				
Length (Long, Long-EL)	Long	Long	Long	Long-EL
Roof (Low, Medium, High)	Low	Medium	High	High
Passenger Capacity	2	2	2	2
Rows of Seating	1	1	1	1
	in.	in.	in.	in.
Wheelbase	147.6	147.6	147.6	147.6
Overall Length	237.6	235.5	235.5	263.9
Height	82.6	100.6	109.8	110.2
Width - Excluding Mirrors	81.3	81.3	81.3	81.3
Width - Including Mirrors	97.4	97.4	97.4	97.4
Width - Mirrors Folded	83.2	83.2	83.2	83.2
Front Track	68.2	68.2	68.2	68.2
Rear Track	68.6	68.6	68.6	68.6
Front Overhang	40.3	40.3	40.3	40.3
Rear Overhang	49.7	47.6	47.6	76
Load Height (Curb)	28.2	28.2	28.2	28.3
Side Cargo Door Opening Height	49.6	63	63	63
Side Cargo Door Opening Width - Sliding	51.2	51.2	51.2	51.2
Rear Cargo Door Opening Height	49.5	64.9	74.3	74.3
Rear Cargo Door Opening Width	61.7	61.7	61.7	61.7

Interior

Interior Dimensions	
2026 E-Transit Cutaway/Chassis Cab	
Passenger Capacity	2
Head Room - First Row	40.8
Maximum Leg Room - First Row	41.3
Hip Room - Front	60.7
Shoulder Room - Front	67.9

2026 E-Transit Cargo Van				
Length (Long, Long-EL)	Long	Long	Long	Long-EL
Roof (Low, Medium, High)	Low	Medium	High	High
Passenger Capacity	2	2	2	2
Rows of Seating	1	1	1	1
	in.	in.	in.	in.
Head Room - First Row	40.8	52	56.6	56.6
Maximum Leg Room - First Row	41.3	41.3	41.3	41.3
Hip Room - Front	60.7	60.7	60.7	60.7
Shoulder Room - Front	67.9	67.9	67.9	67.9
Cargo Length Front (at Floor)	143.7	143.7	143.7	172.2
Cargo Length Front (at Belt)	133.6	133.6	133.6	162
Cargo Width Between Wheelhouse (SRW)	54.8	54.8	54.8	54.8
Cargo Height Maximum	56.9	72	81.5	81.5

Capacities

Capacities				
2026 E-Transit Cargo Van				
Length (Long, Long-EL)	Long	Long	Long	Long-EL
Roof (Low, Medium, High)	Low	Medium	High	High
Seating	2	2	2	2
	cu. ft.	cu. ft.	cu. ft.	cu. ft.
Cargo Volume Behind First Row	277.7	357.1	404.3	487.2
Maximum Cargo Volume	311.9	400.5	453.4	536.4

Chassis

Chassis Specifications	
2026 E-Transit Cutaway / Chassis Cab / Cargo	
Front suspension	Independent MacPherson-strut and Stabilizer Bar
Rear suspension	Rear Independent Suspension with coil springs, semi-trailing arm STA and stabilizer bar
Shock absorbers	Gas-pressurized
Brakes (Front)	Power anti-lock vented disc
Brakes (Rear)	Power anti-lock solid disc
Steering	Electric Power Steering (EPAS)

Payload

Maximum Payload Capabilities									
	Roof Style	Length	Wheelbase	SRW/DRW	RWD/ AWD	Engine	GVWR	Max Payload	Axle
	Body Type	Body Type	in.				lbs.	lbs.	Ratio
E-Transit Cutaway									
T-350	Low	Long	156	SRW	RWD	Electric	9,500	4,201	Electric
T-350	Low	Extended	178	SRW	RWD	Electric	9,500	4,063	Electric
E-Transit Chassis Cab									
T-350	Low	Long	156	SRW	RWD	Electric	9,500	4,200	Electric
T-350	Low	Extended	178	SRW	RWD	Electric	9,500	4,025	Electric
E-Transit Cargo Van									
T-350	Low	Long	148	SRW	RWD	Electric	9,500	3,320	Electric
T-350	Medium	Long	148	SRW	RWD	Electric	9,500	3,170	Electric
T-350	High	Long	148	SRW	RWD	Electric	9,500	3,074	Electric
T-350	High	Long-EL	148	SRW	RWD	Electric	9,500	2,869	Electric

Engine

Engine Specifications	
Engine type	Electric Motor
Horsepower	198kW / 266 HP
Torque (lb.-ft.)	317
Battery	89 kWh Useable Energy High- Voltage Lithium-Ion Battery pack
Transmission type	Single-Speed Transmission

Disclosure(s)

- 1) Computer-generated image shown.
[Return to content, Disclosure 1](#)
- 2) Current Manufacturer Suggested Retail Price (MSRP) for base vehicle. Excludes [destination/delivery fee](#) plus government fees and taxes, any finance charges, any dealer processing charge, any electronic filing charge, and any emission testing charge. Optional equipment not included. Starting A, Z and X Plan price is for qualified, eligible customers and excludes document fee, destination/delivery charge, taxes, title and registration. Not all vehicles qualify for A, Z or X Plan.
[Return to content, Disclosure 2](#)
- 3) Don't drive while distracted or while using handheld devices. Use voice-operated systems when possible. Some features may be locked out while the vehicle is in gear. Not all features are compatible with all phones.
[Return to content, Disclosure 3](#)
- 4) Driver-assist features are supplemental and do not replace the driver's attention, judgment, and need to control the vehicle. They do not make your vehicle autonomous or replace your responsibility to drive safely. Please only use if you will pay attention to the road and be prepared to take over at any time. See Owner's Manual for details and limitations.
[Return to content, Disclosure 4](#)